
MULTI-FUNCTIONAL COMPUTER TABLE ASSEMBLY INSTRUCTION



IMPORTANT: Surfaces must be cleaned with a solution of a smooth soap and water, then cleared with a dry towel. Do not use solvents over surfaces or structural tubes.

MODEL RTA-2706A

In case of assistance, please contact us: Toll Free Customer Service: 1-866-782-8262 or e-mail our Customer Service:info@rtaproducts.com



MODEL RTA-2706A





Steps


- **1**. Insert the Studs (4) at the bottom of the Left, Central & Right Structures (1,2 &3).
- 2. Use screws B to assemble Back Panel (5) between the Left & Central Structures (1 & 2).
- 3. Use screws B to assemble the CPU Panel (7) between the Central and Right Structure (2 & 3).
- 4. Use screws F to fix the CD Holder to the Monitor Panel (6) & Main Panel (8).
- **5**. Use screws A to fix the Monitor Panel (6) to Central & Right Structures (2 & 3).
- **6**. Use screws E to assemble one of the Sliders (15) to the Central & Right Structures (2 & 3) noting that the they must slide-out to the front of the desk. You will find four holes in the metal structures, use the top two.
- **7**. Use screws C to fix the back face of the Auxiliary Panel (11) to the Sliders (15).
- **3**. Use screws F to assemble the thiner part of the Sliders (12) to the Drawer (13).
- **9.** Use screws E to assemble the wider part of the Drawer's sliders (15) to the Central & Right Structures (2 & 3).
- **10**. Use screws B to assemble the back face of the Main Panel (8) to main Structures (1,2&3).
- **1** 1. Use screws D to fix the Hooks (D) to the other pair of Sliders (15).
- 12. Use screws G to assemble the Hooks (D) to the back side of the Main Panel (8).
- 13. Use screws C to assemble the back face of the Keyboard Panel (10) to Sliders (15).


Tight all screws well & enjoy your unit.


Thanks for purchasing one of our products, please read carefully the assembly instructions before the installation (Attention: Do not tighten the screws before all screws are in place).











/// RTA-2706A *P.5*

