


# Assembly Instructions




**Caution : You must read this before you proceed**


## Chaise Lounge










**CAUTION:** This Lounge is NOT a TOY.  
Keep your child/children at bay during the assembly process

## Parts List



Label	Picture	Description
A		Seat Panel
B		Adjuster Bar
C		Support Bar

D		Leg Tube
---	---	----------

## Hardware

Label	Picture	Description
①		Bolt(M6*15mm)
②		Bolt(M6*20mm)
③		Washer(M6)
④		Gaske
⑤		Plastic Plug
⑥		Allen Key
⑦		Bolt(M6*25mm)

## Assembly Preparation

Before Beginning Assembly:	 
----------------------------	--



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing



- Save all packaging until finished-

## Assembly Steps


### Overview



**FRONT FACING**

This Chaise Lounge has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chaise Lounge parts, this picture is to help you put the various parts into perspective. Please go through the instructions below to familiarise yourself with the parts before assembly.


## Step 1



Open the carton and place all parts on a clean, undamaged surface. Insert the support bar (C) into the leg bars and affix it with bolts (1) and Allen Key (6).

Do not tighten the bolts completely.


## Step 2



Insert the leg support tube (D) into the leg bars and affix it with Washers (3) and the Allen Key (6).


Do not tighten the bolts completely.

### Step 3



Affix the adjuster bar (B) to the backrest using Gaske (④), bolt Washer(③) and the Allen Key (⑥).  
Do not tighten the bolts completely.

### Step 4























Stand the Chaise Lounge up.  
 Place the Chaise Lounge on a LEVEL SURFACE.  
 Inspect it and make sure all parts are adequately connected.  
 Gently and carefully, sit onto to the Chaise Lounge.  
 This will help to align all the parts at all joints.  
 Then get off the Chaise Lounge, and in a sequential manner,  
 tighten all Bolts.

When tightening the Bolts, tighten sequentially.  
 DO NOT tighten any Bolt fully and then move on to the next or  
 This may cause the frame to warp.  
 If there are any wobbles after tightening, loosen the bolts and  
 same process.  
 If the Chaise Lounge is not stable it could lead to damage to the

Note: This step is done best with the assistance of a second person.  
 Your Chaise Lounge is ready for use.

## Care & Maintenance

-   ● Do not put hot items directly on furniture surface
-   ● Do not clean furniture with harsh cleansers or polish.
-   ● To obtain the longest lifespan of your outdoor products, minimize direct sunlight is recommended.
-   ● Children should not climb or jump on the furniture.
-   ● Do not write on furniture without a padded barrier to protect the surface.
-   ● To obtain the longest lifespan of your outdoor products, avoid lengthy exposure to rain, snow, and direct sunshine. Whenever possible, store the product and /or place under patio or awnings.
-   ● Not for commercial use. For residential use only .
-   ● Stains may be removed with mild soap solution and damp cloth
-   ● Keep away from sources of ignition.
-   ● Dust and pick-up spills using a clean, non-colored, lint-free cloth

---

## Questions & Answers about Proposition 65

- What is Proposition 65?

Proposition 65 requires businesses to provide warnings to California residents about significant exposures to chemicals that cause cancer, birth defects or reproductive harm. These chemicals can be in the products that you purchase, in their homes or workplaces, or that are released into the environment. By requiring that this information be provided, Proposition 65 enables Californians to make informed decisions about their exposures to chemicals.

Proposition 65 also prohibits California businesses from knowingly discharging significant amounts of listed chemicals into sources of drinking water. Proposition 65 requires California to publish a list of chemicals known to cause cancer, birth defects or other reproductive harm. This list, which is updated at least once a year, has grown to include approximately 900 chemicals since it was first published in 1987.

- What types of chemicals are on the Proposition 65 list?

The list contains a wide range of naturally occurring and synthetic chemicals that include additives or ingredients in pesticides, common household products, food, drugs, dyes, or solvents. Listed chemicals may also be used in manufacturing and construction, or they may be byproducts of chemical processes, such as motor vehicle exhaust.

- What does a warning mean?

If a warning is placed on a product label or posted or distributed in a business, or in rental housing, the business issuing the warning believes that it is exposing individuals to one or more listed chemicals. By law, a warning must be given for listed chemicals unless the exposure is not enough to pose a significant risk of cancer or is significantly below levels known to cause birth defects or other reproductive harm.

- Where can I get more information on Proposition 65?

If you have specific questions on the administration or implementation of Proposition 65, you can contact OEHHHA's Proposition 65 program at [Questions@oehha.ca.gov](mailto:Questions@oehha.ca.gov), or by phone at (916) 445-6900.



ed

SS.



QTY

1


1

1




2
QTY
3
9
11
3
1
1
3
   

ng foam)-




30 minutes to  
; the above  
ease read  
arts and steps




A

urface. Insert  
and the Allen



A

the bolts(②),



ts (7),

12	<b>Hardware</b>			
13	Label	Picture	Description	
14	①		Bolt(M6*15mm)	
15	②		Bolt(M6*20mm)	
16	③		Washer(M6)	
17	④		Gaske	
18	⑤		Plastic Plug	
19	⑥		Allen Key	
20	⑦		Bolt(M6*25mm)	

proceed to

re.

execute this

re product.

dult.

zing exposure to

re surface.

extended and  
or possible cover

h.

oth.

---

rnians about  
ts or other  
Californians  
the  
osition 65  
asures to these

ply discharging  
water.  
own to cause  
musi be  
y 900 chemicals

ic chemicals  
ehold products,  
ed in  
emical

at a workplace,  
g is aware or  
icals.  
exposure is low  
ow levels

tation of  
m at P65.











QTY
3
9
12
3
1
1
3



