

CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use.
Remove wicker furniture from standing water. Dust regularly with small brush or vacuum
Spills should be taken care of immediately before they harden or
stain with a slightly dampened sponge.

NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * This item may require periodic tightening

Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
1	Bench/Chair Left Frame		2X
2	Bench/Chair Right Frame		2X
4	Chair Back Frame		2X
6	Chair Seat Frame		2X
8	Chair Front Frame		2X
17	Chair Back Cushion		2X
18	Chair Seat Cushion		2X
19	Pillow		2X
A	Allen bolt(M6x30 mm)		12X
B	Allen bolt(M6x40 mm)		12X
C	Flat washer		24X
D	Allen key		1X

 **SAFAVIEH**
OUTDOOR

Weight Capacity : 275 Lbs (single seat)
550 Lbs (towperson seat)

Warning : Do not stand on chair

Warning : Do not over torque bolts/screws



WARNING




Model# PAT7514 - 2/2

Product Dimensions:

32.28"x55.12"x33.46" H (Bench)

32.28"x29.92"x33.46" H (Chair)

27.95"x51.18"x16.54" H (Table)



CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use.

Remove wicker furniture from standing water. Dust regularly with small brush or vacuum

Spills should be taken care of immediately before they harden or

stain with a slightly dampened sponge.

NOTICE

* Please make sure that you have all parts indicated before you begin assembly of this item

* This item should be assembled on a soft surface to prevent scratching the finish during assembly

* This item may require periodic tightening

Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
1	Bench/Chair Left Frame		2X
2	Bench/Chair Right Frame		2X
4	Chair Back Frame		2X
6	Chair Seat Frame		2X
8	Chair Front Frame		2X
17	Chair Back Cushion		2X
18	Chair Seat Cushion		2X
19	Pillow		2X
A	Allen bolt(M6x30 mm)		12X
B	Allen bolt(M6x40 mm)		12X
C	Flat washer		24X
D	Allen key		1X




Weight Capacity : 275 Lbs (single seat)

550 Lbs (towperson seat)

Warning : Do not stand on chair

Warning : Do not over torque bolts/screws



PREPARATION


Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.

If any part is missing or damaged, do not attempt to assemble the product.


Estimated Assembly Time: 15 minutes.

Tools Required for Assembly (included): Allen Key

1 x2




2 x2



Step 1

Connect Chair Back Frame (4) & Chair Right Frame (2) & tighten Bolt (A) with Allen key (D)

3 x2




Step 3

Connect part from Step 2 & Chair Front Frame (8) tighten Bolt (A) with Allen key (D)

Step 2

Connect part from Step 1 & Chair Seat Frame (6) tighten Bolt (B) with Allen key (D)


4 x2



Step 4

Connect part from Step 3 & Chair Left Frame (1) tighten Bolt (A) with Allen key (D)


5 x2



Step 5

Connect Chair Seat Frame (6), Chair Front Frame (8) & Chair Left Frame (1) tighten Bolt (B), (A) with Allen key (D)

6 x2



Step 6

Puton Chair Seat Cushion (18), Chair Back Cushion (17) & Pillow (19) to complete Chair