

CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use.
Remove wicker furniture from standing water. Dust regularly with small brush or vacuum
Spills should be taken care of immediately before they harden or
stain with a slightly dampened sponge.



NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * This item may require periodic tightening

Weight Capacity : 275 Lbs (single seat)
550 Lbs (towperson seat)

Warning : Do not stand on table

Warning : Do not over torque bolts/screws

Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
1	Bench/Chair Left Frame		1X
2	Bench/Chair Right Frame		1X
3	Bench Back Frame		1X
5	Bench Seat Frame		1X
7	Bench Front Frame		1X
9	Table Top Frame		1X
10	Table Leg		2X
11	Table Side Frame		2X
12	Chair Back Cushion		2X
13	Chair Seat Cushion		2X
16	Table Glass		1X
A	Allen bolt(M6x30 mm)		21X
B	Allen bolt(M6x40 mm)		8X
C	Flat washer		29X
D	Allen key		2X


Model# PAT7514 - 1/2

Product Dimensions:

32.28"x55.12"x33.46" H (Bench)

32.28"x29.92"x33.46" H (Chair)

27.95"x51.18"x16.54" H (Table)



CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use.
Remove wicker furniture from standing water. Dust regularly with small brush or vacuum
Spills should be taken care of immediately before they harden or
stain with a slightly dampened sponge.

NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * This item may require periodic tightening

Part List and Hardware List


PIECE	DESCRIPTION	PICTURE	QUANTITY
9	Table Top Frame		1X
10	Table Leg		2X
11	Table Side Frame		2X
16	Table Glass		1X
A	Allen bolt(M6x30 mm)		14X
C	Flat washer		14X
D	Allen key		1X




**Weight Capacity : 275 Lbs (single seat)
550 Lbs (towperson seat)**


Warning : Do not stand on table

Warning : Do not over torque bolts/screws







Step 1
Connect Table Top Frame (9) & Table Leg (10), Table Side Frame (11) & tighten Bolt (A) with Allen key (D)



Step 2
Connect part from Step 1 & Table Side Frame (11) tighten Bolt (A) with Allen key (D)



Step 3
Connect part from Step 2 & Table Leg (10) tighten Bolt (A) with Allen key (D)



Step 4
Puton Table Glass (16) to complete Table