













CARE AND MAINTENANCE

Spot clean using a mild water-free solvent. Only a professional cleaner should undertake a complete overall cleaning.
The use of steam or water-based cleaners may cause excessive shrinking or staining.

NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item.
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly.
- * This item may require periodic tightening.

Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
A	TOP PANEL		1X
B	LEFT LEG ASSEMBLY		1X
C	RIGHT LEG ASSEMBLY		1X
D	STRETCHER		1X
HW1	70mm HEAD CAP BOLT		4X
HW2	50mm HEAD CAP BOLT		4X
HW3	SPRING WASHER		6X
HW4	FLAT WASHER		6X
HW5	ALLEN KEY		1X
HW6	HEX NUT		4X
HW7	HEX WRENCH		1X
HW8	WOODEN DOWEL		2X

 **SAFAVIEH**
FURNITURE

Model# DSK5000



Product Dimenions: 42" W x 20" D x 29 1/2" H

Weight Capacity: 100lbs




PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.
If any part is missing or damaged, do not attempt to assemble the product.
Estimated Assembly Time: 30 minutes.

	
<p>STEP 1 ATTACH LEFT AND RIGHT LEG ASSEMBLIES TO STRETCHER USING 50mm HEAD CAP BOLTS AND WOODEN DOWELS. TIGHTEN BOLTS USING ALLEN KEY.</p>	<p>STEP 2 ATTACH TOP PANEL TO UNIT USING 70mm HEAD CAP BOLTS, 50mm HEAD CAP BOLTS, SPRING WASHERS, FLAT WASHERS AND HEX NUTS. TIGHTEN BOLTS USING ALLEN KEY. TIGHTEN HEX NUTS USING HEX WRENCH. NOTE: ATTACH 70mm HEAD CAP BOLTS FIRST.</p>

PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.
If any part is missing or damaged, do not attempt to assemble the product.
Estimated Assembly Time: 30 minutes.



STEP 3 ADJUST THE ADJUSTER BOLT THAT HAS ALREADY ASSEMBLED TO THE LEGS TO STABILIZE YOUR UNIT