



Lower bunk

SAFETY WARNING



1. This bed is designed for use only mattress (es) meeting the following specifications on the upper bunk, and lower bunk:

Upper bunk (bunk b	ped and tribed included)		
Bed type	Length	Width	Thickness
Twin Standard	74" – 75"	38 ½"	6" max

ZOWET COMM				
Bed type	Length	Width	Thickness	
Full Standard	74" – 75"	53 ''-54''	8" max	

- 2. Replacement parts, including additional guardrails, maybe obtained from any of our (GIGACLOUD TECHNOLOGY (USA) INC. 18961 ARENTH AVENUE CITY OF INDUSTRY, CA, 91748) dealers
- 3. Follow the information on the warnings appearing on the upper bunk bed end structure and on the carton. Do not remove warning label from bed.
- 4. Always use the recommended size mattresses or mattress supports, or both, to help prevent the likelihood of entrapment or falls.
- 5. Surface of mattress must be at least 5" (127mm) below the upper edge of guardrails.
- 6. Do not allow children under 6 years of age to use the upper bunk.
- 7. Periodically check and ensure that the guardrail, ladder, and other components are in their proper position, free from damage, and that all connectors are tight.
- 8. Do not allow horseplay on or under the bed and prohibit jumping on the bed.
- 9. Always use the ladder for entering and leaving the upper bunk.
- 10. Do not use substitute part. Contact the manufacture or dealer for replacement part.
- 11. Use of a night light may provide added safety precaution for a child using the upper bunk.
- 12. Always use guardrails on both long sides of the upper bunk. If the bunk bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and wall.
- 13. The use of water or sleep flotation mattresses is prohibited.
- 14. STRANGULATION HAZARD Never attach or hang items to any part of the bunk bed that are not designed for use with the bed; for example, but not limited to, hook, belts and jump ropes.
- 15. Keep these instruction for future reference.
- 16. Prohibit more than one person on upper bunk
- 17. We recommend assembling your bunk bed on the shipping carton to protect your floor or carpet.
- 18. Be certain all staples are out of the box before beginning assembly on the shipping carton.

PARS LIST & HARDWARE(WF286857) ~~ Note: Do Not Fully Tighten Screws until Fully Assembled ~~ 1.1 1.2 2.2 2.1 Upper left leg Upper left leg **Upper Right leg** Upper Right leg (front) 1pcs (Back) 1pcs (Front) 1pcs (Back) 1pcs 3 4 5 6 Top horizontal bar Horizontal bar on on the left 1pc Upper side panels right 1pcs Upper side Fame 1pc the top right 1pc 10.1 10.2 10.3 10.4 **Below Right legs Below Right legs Below left legs Below left legs** (Front) 1 pcs (Front) 1 pcs (Back) 1 pcs (Back) 1 pcs 12.1 12.2 11 15 The top horizontal bar Below side panel(left) Below side panel(right) Center Legs 2pcs of the lower bed 2pcs 1pcs 1pcs 16 20 29 31 Stair railing above 1pc Stair railing above 1pc Mid side panel 1pc Stair railing below 1pc

PARS LIST (WF286858) 7.1 13 7 9 Upper side rail (front and back) 2pcs Lower side rails Longguardrail (Back)-4pcs Verticalguardrail-4pcs (front and back) 2pcs 32 33 34 35 Front Drawer 1pc Side Drawer 1pc **Bottom Drawer 2pc** Side Drawer 1pc 39 36 37 38 **Bottom Drawer 3pc Back Drawer 1pc** Center Drawer 1pc Center Drawer 1pc

PARS LIST (WF286859)				
8	14	17	18	
Short Slats 14pcs	Mid Boards 2pcs	Long Slats 12pcs	Long Slats with mid hole 2pcs	
19	21	22	23	
Lower Board 1pc	Upper board 1pc	Back Fame 1pc	Foot support 1pc	
24	25	20		
Lower board 1pc	Lower mid board 1pc	Upper mid board 1pc	Upper board 1pc	
Lower side panel 1pc	30 Upper side panel 1pc			
			05/19	

HARDWARE & ILLUSTRATION

~~ Note : Do Not Fully Tighten Screws until Fully Assembled ~~				
Α	В	С	D	
		Brown of the state		
Ø1/4" x 100 mm Hexagonal bolts catch wood 16pcs	Wood dowel Ø10 x 40 mm 42pcs	Ø8 x 30 mm Wood Screws 93pcs	Ø1/4" x 50 mm Hexagonal bolts catch wood 2pcs	
E	F	G	Н	
		Indianama	0	
Ø1/4" x 25 mm Hex-Head bolts 36pcs	M6x18 mm Canopy head though (14pcs)	Ø1/4" x 60 mm Hexagonal bolts catch wood 4pcs	Ø1/4" x 80 mm Hex-Head bolts 24pcs	
S	J	L	М	
			(a) Managaman	
Ø1/6" x 25 mm 3pcs	Ø12 x 110 mm Wood dowel 4pcs	Ø6 x 15 mm Wood Screws 38pcs	Ø1/4" x 50 mm Hexagonal bolts catch wood 2pcs	
N	Р	Q	U	
Ø1/4" x 35 mm Hex-Head bolts 13pcs	Allen Key 1pc	Ø1/4" x 13 mm Horizontal-Hole bolts 24pcs	Ø8 x 25 mm Wood dowel 22pcs	
R				
Wood Handle 3pcs				


HARDWARE & ILLUSTRATION ~~ Note : Do Not Fully Tighten Screws until Fully Assembled ~~ 0 ٧ Y **B**angangan M3.5 x 12 mm Wood Screws 12pcs Wheels 4pcs Rail - 2pcs Assembly Tools Required (Not Included)

07/19

STEP 1


1. Align and fix the Upper left leg (1.1&1.2), and the Upper side fame (3), using the Hexagonal bolts catch wood (A), and the Wood dowel (B), Tighten with Allen Key (P).


2. Align and fix top left bar (4), Using Wood Screws (C), tighten with screw driver (not included)



STEP 2


- 1. Align and fix the Upper right leg (2.1&2.2), and the Horizontal bar on the top right (6), using the Hexagonal bolts catch wood (A), the Wood dowel (B), Tighten with Allen Key (P).
- 2. Align and fix the Upper side panels right (5), using the Hexagonal bolts catch wood (D), the Hex-Head bolts (E) and the Canopy head though (F), Tighten with Allen Key (P).






STEP 4

1. Align and fix the Slats (8), Using Wood Screws (C), tighten with screw driver (not included)







- 1. Align and fix the Below left legs (10.1&10.2), and the Below side panels (12.1), using the Hexagonal bolts catch wood (A),and the Wood dowel (B), Tighten with Allen Key (P).
- 2. Align and fix Guard rails (11), Using Wood Screws (C), tighten with screw driver (not included)



STEP 5-2


- 1. Align and fix the Below left legs (10.3&10.4), and the Below side panels (12.2), using the Hexagonal bolts catch wood (A),and the Wood dowel (B), Tighten with Allen Key (P).
- 2. Align and fix Guard rails (11), Using Wood Screws (C), tighten with screw driver (not included)






STEP 7


1. Align and fix the center legs (15), and the slats (18), Hex-Head bolts (E), tighten with Allen key(O).



STEP 8
Align and fix the Slats (17&18), Using Wood Screws (C), tighten with screw driver (not included)




12/19




STEP 10

- 1, Align and fix the Board standing below (19), with the Horizontal board below (24), and the Back panel (22).
- 2, Align and fix the Board standing between (14), with the Horizontal board between (25), and the Back panel (22).
- 3, Align and fix the Board standing between (14), with the Horizontal board between (26), and the Back panel (22).
- 4, Align and fix the The board is in the above (21), with the Horizontal board above (25), and the Back panel (22).
- => Using Hex-Head bolts (K), and Wood dowel (L) tighten with Allen Key (P).



STEP 11 Align and fix the Bottom side panel (28), Between side panel (29), Above side panel (30), Using Wood Screws (M), tighten with screw driver (not included) 15/19

STEP 12 Align and fix the Stair railing above (16), Weth the Stair railing above (20) and Stair railing below (31), Using bolts catch wood (N), (G) and Hex-Head bolts (N), tighten with Allen Key (P). (M)**(G**) (N)16/19



STEP 14-1:Asembly Wood Handle With Front Drawer(Use R,S,P)

STEP 14-2:Asembly Center Drawer(38&39) and Side Drawer(33&34) with Front Drawer(32) Use 8 Screw(C)

