CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use. Remove wooden furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.



NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * This item may require periodic tightening

Part List and Hardware List

| PIECE | DESCRIPTION | PICTURE | QUANTITY |
|-------|--------------|---------------------|----------|
| А | Frame back | | 1X |
| В | Frame Seat | | 1X |
| С | Leg Frame | | 2X |
| D | Leg Extra | | 1X |
| Е | Seat Cushion | | 1X |
| F | Back Cushion | | 3X |
| G | Bolt | (a) M6×75 | 2X |
| Н | Bolt | ⊚ 1111 M6x30 | 1X |
| I | Screw | ⊕ M6x70 | 4X |
| J | Screw | | 4X |
| К | Allen key | LG4 | 1X |

Weight Capacity:733 Ibs

Warning: Do not stand on chair

Warning: Do not over torque bolts / screws








Model# PAT7313

Product Dimensions:69.69" W x 28.3" D x 32.2" H




PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 10 minutes.

Tools Required for Assembly (included): Allen Key



Step 1
Tighten screws (I) with allen key (K) to attach seat frame (B) and back frame (A)


Step 2 Tighten bolt (H) with allen key (K) to attach Leg extra (D) and seat frame (B).

PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 10 minutes.

Tools Required for Assembly (included): Allen Key



Step 3

Step 3.1 Tighten bolt (G) with allen key (K) to attach leg frame (C) and back frame (A).

Step 3.2 Tighten screws (J) with allen key (K) to attach leg frame (C) and seat frame (B)


Step 4 Adjust Pre-installed Levellers height for balance

PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 10 minutes.

Tools Required for Assembly (included): Allen Key



Step 5 Attach Ensure all screws are fully locked into position.
Place Seat Cushion (E), Back Cushion (F) into the Chair.
The Chair is ready to be used.

Step 6 Caution: This Chair can only be used on a flat, level surface