#### **CARE AND MAINTENANCE**

Store outdoor furniture indoors or cover well when not in use. Remove wooden furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

### NOTICE

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* This item may require periodic tightening

# Part List and Hardware List

|       |                      | 1       | 1        |
|-------|----------------------|---------|----------|
| PIECE | DESCRIPTION          | PICTURE | QUANTITY |
| 1     | Chair seat frame     |         | 6X       |
| 2     | Chair leg            |         | 12X      |
| 3     | Bacing chair leg     |         | 12X      |
| 4     | Chair seat cushion   |         | 6X       |
| 5     | Table top frame      |         | 1X       |
| 6     | Table leg            |         | 2X       |
| 7     | Table glass          |         | 1X       |
| А     | Allen bolt(M6x15 mm) | •       | 48X      |
| В     | Allen bolt(M6x25 mm) | •       | 24X      |
| С     | Allen bolt(M6x35 mm) | •       | 32X      |
| D     | Flat washer          | 0       | 104X     |
| E     | Allen key            |         | 3X       |



Weight Capacity: 275 Lbs (single seat)

550 Lps (towperson seat)

Warning: Do not stand on chair


Warning: Do not over torque bolts/screws







Model# PAT7502 Product Dimensions: 28.74"x59.06"x41.73" H (Table) 14.17"x14.17"x28.35" H (Chair)



#### **CARE AND MAINTENANCE**

Store outdoor furniture indoors or cover well when not in use. Remove wooden furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

#### NOTICE

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* This item may require periodic tightening

## Part List and Hardware List

| PIECE | DESCRIPTION          | PICTURE  | QUANTITY |
|-------|----------------------|----------|----------|
| 1     | Chair seat frame     |          | 6X       |
| 2     | Chair leg            |          | 12X      |
| 3     | Bacing chair leg     |          | 12X      |
| 4     | Chair seat cushion   |          | 6X       |
| А     | Allen bolt(M6x15 mm) | •        | 48X      |
| В     | Allen bolt(M6x25 mm) | <b>*</b> | 24X      |
| С     | Allen bolt(M6x35 mm) | •        | 24X      |
| D     | Flat washer          | 0        | 96X      |
| E     | Allen key            |          | 2X       |



Weight Capacity: 275 Lbs (single seat)

550 Lps (towperson seat)


Warning: Do not stand on chair

Warning: Do not over torque bolts/screws









## PREPARATION


Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.

If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 15 minutes.


Tools Required for Assembly (included): Allen Key






Step 1
Connect Chair Leg (2) & Chair Seat Frame (1) & Bacing Chair Leg (3) tighten Bolt (A),
Bolt (B), Bolt (C) with Allen key (E)

2 x6



Step 2
Connect part from Step 1 & Chair Leg (2) tighten Bolt (A), Bolt (B), Bolt (C) with Allen key (E)



Step 3
Putton Chair Seat Cushion (4) to complete Chair