CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use. Remove wooden furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

SAFAVIEH OUTDOOR

NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * This item may require periodic tightening

Weight Capacity: 600 Ibs

Warning: Do not stand on bench

Warning: Do not over torque bolts / screws







Part List and Hardware List

| PIECE | DESCRIPTION | PICTURE | QUANTITY |
|-------|--------------|--------------|----------|
| А | Leg Frame | A | 2X |
| В | Back frame | | 1X |
| С | Seat Frame | | 1X |
| D | Cross Bar | | 1X |
| Е | Cushion Seat | | 1X |
| F | Cushion Back | | 2X |
| G | Screw | (e) M6x60 | 2X |
| Н | Screw | M6x80 | 2X |
| I | Bolt | M6X35 | 6X |
| K | Allen key | LG4 | 1X |

Model# PAT7050

Product Dimensions:29.92" W x 48.82" D x 30.71" H




PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 10 minutes.

Tools Required for Assembly (included): Allen Key



Step 1
Attach leg frame (A) to cross bar (D) ,use screws (G),tighten with allen key (K).


Step 2
Tighten screws (H) with allen key (K) to attach seat frame (C) and back frame (B).

PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 10 minutes.

Tools Required for Assembly (included): Allen Key



Step 3

Attach leg frame (A) to back frame (B) and seat frame ,use Bolt (I), tighten with allen key(K).

Step 4

Tighten Bolt (I) with allen key (K) to attach seat frame (C) and Leg frame (A).

PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 10 minutes.

Tools Required for Assembly (included): Allen Key

5

Step 5

Attach Ensure all screws are fully locked into position. Place Seat Cushion (E), Back Cushion (F) into the Chair. The Chair is ready to be used.

Step 6 Caution: This Chair can only be used on a flat, level surface