## **CARE AND MAINTENANCE**

Store outdoor furniture indoors or cover well when not in use. Remove wooden furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

## NOTICE

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* This item may require periodic tightening

Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
1	Right Frame	H	3X
2	Left Frame		3X
3	Bench Back Frame		1X
4	Bench Seat Frame		1X
5	Chair Back Frame		2X
6	Chair Seat Frame		2X
7	Table Frame		1X
8	Stool Seat Frame		2X
9	Stool Leg Frame		4X
10	Stool Side Frame		4X
11	Bench Seat Cushion		3X
12	Chair Seat Cushion		2X
13	Bench Back Cushion		3X
14	Chair Back Cushion		2X
15	Stool Cushion		2X
16	Wood Leg		16X
17	Middle Wood Leg		1X
18	Table Glass		1X
Α	Allen Bolt(M6x30 mm)		36X
В	Allen Bolt(M6x40 mm)	()menum	12X
С	Screw Bolt(M6x25 mm)	(1) accommens	34X
D	Flat Washer	0	82X
Е	Allen Key		5X



Weight Capacity: 275 lbs (single seat)

550 lbs (two person seat)

Warning: Do not stand on bench


Warning: Do not over torque bolts/screws







Model# PAT7715 - 3/3 Product Dimensions: 26,77"x26,77"x13,38"H (Table) 70,08"x27,16"x25,98"H (Bench) 30,71"x27,16"x25,98"H (Chair) 15,75"x15,75"x14,17"H (Stool)



#### **CARE AND MAINTENANCE**

Store outdoor furniture indoors or cover well when not in use. Remove wooden furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

## **NOTICE**

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* This item may require periodic tightening



Weight Capacity: 275 lbs (single seat)

550 lbs (two person seat)

Warning: Do not stand on bench

Warning: Do not over torque bolts/screws









# Part List and Hardware List

PIECE DESCRIPTION  1 Right Frame  2 Left Frame  5 Chair Back Frame  6 Chair Seat Frame  12 Chair Seat Cushion  14 Chair Back Cushion  16 Wood Leg  A Allen Bolt(M6x30 mm)  B Allen Bolt(M6x40 mm)  C Screw Bolt(M6x25 mm)  D Flat Washer  E Allen Key	Part List and Hardware List					
2 Left Frame 2X 5 Chair Back Frame 2X 6 Chair Seat Frame 2X 12 Chair Seat Cushion 2X 14 Chair Back Cushion 2X 16 Wood Leg 8X A Allen Bolt(M6x30 mm) 8X B Allen Bolt(M6x40 mm) 6X C Screw Bolt(M6x25 mm) 16X D Flat Washer 0 30X	PIECE	DESCRIPTION	PICTURE	QUANTITY		
5 Chair Back Frame 2X  6 Chair Seat Frame 2X  12 Chair Seat Cushion 2X  14 Chair Back Cushion 2X  16 Wood Leg 8X  A Allen Bolt(M6x30 mm) 8X  B Allen Bolt(M6x40 mm) 6X  C Screw Bolt(M6x25 mm) 16X  D Flat Washer 0 30X	1	Right Frame		2X		
6 Chair Seat Frame 2X  12 Chair Seat Cushion 2X  14 Chair Back Cushion 2X  16 Wood Leg 8X  A Allen Bolt(M6x30 mm) 8X  B Allen Bolt(M6x40 mm) 6X  C Screw Bolt(M6x25 mm) 16X  D Flat Washer 0 30X	2	Left Frame		2X		
12         Chair Seat Cushion         2X           14         Chair Back Cushion         2X           16         Wood Leg         8X           A         Allen Bolt(M6x30 mm)         8X           B         Allen Bolt(M6x40 mm)         6X           C         Screw Bolt(M6x25 mm)         16X           D         Flat Washer         30X	5	Chair Back Frame		2X		
14         Chair Back Cushion         2X           16         Wood Leg         8X           A         Allen Bolt(M6x30 mm)         8X           B         Allen Bolt(M6x40 mm)         6X           C         Screw Bolt(M6x25 mm)         16X           D         Flat Washer         30X	6	Chair Seat Frame		2X		
16       Wood Leg       8X         A       Allen Bolt(M6x30 mm)       8X         B       Allen Bolt(M6x40 mm)       6X         C       Screw Bolt(M6x25 mm)       16X         D       Flat Washer       30X	12	Chair Seat Cushion		2X		
A         Allen Bolt(M6x30 mm)         8X           B         Allen Bolt(M6x40 mm)         6X           C         Screw Bolt(M6x25 mm)         16X           D         Flat Washer         30X	14	Chair Back Cushion		2X		
B         Allen Bolt(M6x40 mm)         6X           C         Screw Bolt(M6x25 mm)         16X           D         Flat Washer         ○         30X	16	Wood Leg		8X		
C Screw Bolt(M6x25 mm) 16X  D Flat Washer 0 30X	Α	Allen Bolt(M6x30 mm)		8X		
D Flat Washer	В	Allen Bolt(M6x40 mm)		6X		
	С	Screw Bolt(M6x25 mm)	(I) 000000000000000000000000000000000000	16X		
E Allen Key 2X	D	Flat Washer	0	30X		
	Е	Allen Key		2X		


Model# PAT7715 - 3/3 Product Dimensions: 30,71"x27,16"x25,98"H (Chair)






Step 1 : Connect Left Frame (2) & Chair Back Frame (5), tighten Allen Bolt (A), Flat Washer (D) with Allen Key (E).

Step 2 : Connect The Part from Step 1 & Right Frame (1), tighten Allen Bolt (A), Flat Washer (D) with Allen Key (E).




Step 3: Connect The Part from Step 2 & Chair Seat Frame (6), tighten Allen Bolt (B), Flat Washer (D) with Allen Key (E).



Step 4 : Connect The Part from Step 3, tighten Allen Bolt (A),(B) Flat Washer (D) with Allen Key (E).

3-4



Step 7: Put Bench Seat Cushion (12) & Bench Back Cushion (14) to finish Chair.

FINISH