CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use. Remove wicker furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * This item may require periodic tightening

Part List and Hardware List

| PIECE | DESCRIPTION | PICTURE | QUANTITY |
|-------|------------------------------|------------|----------|
| А | Bench Seat Frame | | 1X |
| В | Leg Chair | | 12X |
| С | Bench Seat Cushion | | 1X |
| D | Chair Seat Frame | 0 | 2X |
| E | Chair Seat Cushion | \Diamond | 2X |
| F | Table Frame | | 1X |
| I | Leg Table | | 4X |
| G | Glass | 1 | 1X |
| HW1 | Socket Screw 6 x 0.5 x 15 mm | 9 | 64X |
| HW2 | Flat Whasher | 0 | 64X |
| HW3 | Allen Key | _ | 3X |



Weight Capacity: 275 lbs (single seat)

550 lbs (towperson seat)

Warning : Do not stand on table/chair/bench Warning : Do not over torque bolts/screws








Model# PAT7526

Product Dimensions:

25.98" W x 24.01" D x 32.28" H (Chair)

55.11" W x 24.01" D x 32.28" H (Bench)

35.43" W x 19.68" D x 15.35" H (Table)



CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use.

Remove wicker furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * This item may require periodic tightening

Part List and Hardware List

| PIECE | DESCRIPTION | PICTURE | QUANTITY |
|-------|---------------------------------|------------|----------|
| D | Chair Seat Frame | | 2X |
| В | Leg Chair | | 8X |
| Е | Chair Seat Cushion | | 2X |
| HW1 | Socket Screw 6 x 0.5 x 15 mm | (3) | 32X |
| HW2 | Flat Whasher | 0 | 32X |
| HW3 | Allen Key | | 1X |



Weight Capacity: 275 lbs

Warning: Do not stand on Bench

Warning: Do not over torque bolts/screws








Model# PAT7526

Product Dimensions: 25.98" W x 24.01" D x 32.28" H




PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.

If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 10 minutes.

Tools Required for Assembly (included): Allen Key



Attach Leg Chair (B) to Chair Seat Frame (D). Use Bolt (HW1) tighten with Allen Key (HW3).

Like step 1 using Leg Chair (B) is inserted into the Chair Seat Frame (D). Use Bolt (HW1) tighten with Allen Key (HW3).

PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.

If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 10 minutes.

Tools Required for Assembly (included): Allen Key

