



# Assembly Instructions

! Before you throw the carton, please ensure that you have all the parts needed for the assembly.

! **Hardware Note:**  
1. For each step please don't fully tighten all the screws at first, when they all align to the holes you can fully tighten them.  
2. All the bolts should be assembled **vertically** to the holes.

! **Spare parts** can be found in the hardware box if you do not have enough bolts for assembly.



! THIS INSTRUCTION BOOKLET CONTAINS IMPORTANT SAFETY INFORMATION. PLEASE READ AND KEEP FOR FUTURE REFERENCE.


# Assembly Instructions

MADE IN CHINA

## Parts and Hardware


Please check to make sure you have all parts and hardware before starting assembly process.

(A)




Back Cushion 1pc

(B)




Seat Cushion 1pc

(C1)




(C2)




Front Legs 2pcs

(D1)



(D2)



Back Legs 2pcs

(E)



Allen Bolts 9pcs  
5/16\*2-1/2in

(F)



Spring Washers 9pcs

(G)



Flat Washers 9pcs

(H)




Allen Bolts 6pcs  
1/4\*3/4in

(I)



Flat Washers 6pcs

(J)




Allen Wrench (1)

# Assembly Instructions


MADE IN CHINA

## Assembly Instructions


Step 1: Attach seat to back use bolts (E), spring washer (F) and flat washer (G), half tighten the bolts one by one, when they all align to the holes, fully tighten by the short side of wrench.



Step 2: Attach front legs to the bottom of seat use bolts (H) and flat washers (I), tighten by the short side of wrench.



Step 3: Attach back legs to the bottom of seat use bolts (E) washer (F) and flat washer (G), tighten by the short side of wrench.



Step 4: Adjust 2 front legs by foot nails until the sofa is steady.

