WARRANTY

We strive to offer high-quality products, and we also try our best to satisfy each and every customer that orders from us with product or service as needed.

Each customer mustprovide a record of their order such as the order number, or item receipt for any items that are out of the warranty period you may also still receive replacement parts by purchasing themwith our company if they are available.

Are you having difficulty
with assembly? Missing parts?
Please contact us: info@firstopintl.com
telephone No.:5627813327
send email with your order No. to
For return, please check the return policy with
the retailer or market place you bought from.
Appreciate your purchasing from us.
Pop up your life by our furniture!





NOTE:


This brochure contains IMPORTANT safty info. Please read and keep for future reference.

MAINTAINANCE AND WARNING


- Keep furniture away from heat and fire.
- Keep furniture away from sharp objects.
- Do not clean furniture with harsh cleansers or polish. Do not use detergents, Solvents, abrasives, spray packs or leather cleaner. Use non-color mild soap with warm water clean spills(Mix 1:10 soap to water)
- Do not place furniture under direct sunlight, material will possibly fade over time.
- Do not jump or strike on thefurniture.
- Do not write on furniture without a padded barrier to protect the surface.
- Not for commercial use, For residential use only.
- People needed for assembly: 2



PARTS LIST



HARDWARE and TOOL




SPARE


①*2 M6*20mm





Be sure to check all packing materia fit the packing list. Carefully for small parts, which may have come loose inside the carton during shipment.

ASSEMBLY INSTRUCTIONS













It will take a while for the cushions to expand.


Normally it will take up to around 24 hours to expand to its full size.

STEP1: Take the seat cushion E and pillow M from the vacuum bags,let them expand for a while.Put seat cushions into covers and zip up.







STEP 2: Take the armrests(B,C) from the bottom space of seat frame(F).




STEP 3: Turn the seat frame upright, carefully align male and female metal brackets then push the seat frame F all the way down to secure.








STEP 4: Carefully align male and female metal brackets then push the back rail D all the way down to secure.




STEP 5:Carefully align male and female metal brackets then push the backrest A all the way down to secure.










STEP 6: Carefully align male and female metal brackets on both sides then push backrest ears G and H all the way down to secure.

STEP 7: Use bolt #1, allen key #2 to attach the wood legs, fasten all bolts to secure.







STEP 8: Turn the screw on the middle foot I into the reserved screw hole on the wood batten in the middle of the bottom of the sofa until it is completely fastened. Properly fitted middle feet will be 1 cm shorter about than front and back feet.


The velcro on the backstop fabric ts snugly to the bottom of the sofa while leveling the backstop fabric.





STEP 9: Place the chair seat cushion on top of the seat frame and make sure gaps around seat cushion are evenly spaced.






STEP 10:Place the pillow M on the seat. Assembly completed.







STEP 11:After installation, adjust the adjustable leveler to keep the chair balanced .