



Project/Job Name: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Notes: \_\_\_\_\_

**S21853** - 5.5 Watt CA10 LED; Frosted; Medium Base; 2700K; 500 Lumens; 120 Volt; 2-Pack

- Rated for Enclosed Fixture



### ELECTRICAL

|                           |                                                                |
|---------------------------|----------------------------------------------------------------|
| Technology:               | LED                                                            |
| Watts:                    | 5.5W                                                           |
| Volts:                    | 120V                                                           |
| Lumens:                   | 500L                                                           |
| CRI:                      | 90                                                             |
| CCT (Kelvins):            | 2700K                                                          |
| Temperature:              | Warm White                                                     |
| Beam Spread :             | 300                                                            |
| Hours Rated:              | 15000                                                          |
| Dimmable:                 | Yes-Dimmable                                                   |
| Dimmable Down To %:       | 100 to 20 percent                                              |
| DimmableText:             | 120V only                                                      |
| Dimming Type :            | Forward Phase or Reverse Phase<br>or Phase Selectable or Triac |
| Incandescent Equivalent : | 60W                                                            |
| Operating Temperature :   | -20C (-4F) to +45C (+113F)                                     |
| Power Factor :            | 0.75                                                           |
| Light Source:             | LED                                                            |
| Warranty:                 | 3 Year Limited                                                 |

### PACKAGING

|                   |                       |
|-------------------|-----------------------|
| Each UPC:         | 045923218538          |
| Each Quantity:    | 1                     |
| Each Dimensions:  | 1.81 x 5.98 x 8.58    |
| Inner UPC:        | 20045923218532        |
| Inner Quantity:   | 12                    |
| Inner Dimensions: | 13.58 x 11.45 x 9.61  |
| Case UPC:         | 10045923218535        |
| Case Quantity:    | 24                    |
| Case Dimensions:  | 13.74 x 11.61 x 19.37 |

### PHYSICAL

|                |                |
|----------------|----------------|
| ANSI Base:     | E26            |
| Base:          | Medium         |
| Shape:         | CA10           |
| Finish:        | Frost          |
| MOD (In.):     | 1.38           |
| MOL (In.):     | 4.33           |
| Weight (Lbs.): | 0.071          |
| Material:      | Glass / Copper |

### COMPLIANCE

|                             |                     |
|-----------------------------|---------------------|
| Safety Listing:             | cETLus - Listed     |
| Location Rating:            | Wet                 |
| Indoor/Outdoor:             | Indoor and Outdoor  |
| Energy Star Qualified:      | Yes                 |
| Energy Star Unique ID:      | ESID-2407740        |
| Energy Star Lamp Category:  | Decorative          |
| Enclosure Rating:           | Enclosed Rated Lamp |
| Rated For Enclosed Fixture: | Yes                 |
| FCC Compliant:              | Yes                 |
| RoHS Compliant:             | Yes                 |
| Restrictions:               | No Restrictions     |



**S21853** - 5.5 Watt CA10 LED; Frosted; Medium Base; 2700K; 500 Lumens; 120 Volt; 2-Pack

#### DIMMER COMPATIBILITY

|         |      |
|---------|------|
| LEVITON | 6672 |
|---------|------|

|         |      |
|---------|------|
| LEVITON | 6674 |
|---------|------|

|         |       |
|---------|-------|
| LEVITON | 66ELV |
|---------|-------|

|       |        |
|-------|--------|
| SATCO | 86/103 |
|-------|--------|

|         |           |
|---------|-----------|
| LEGRAND | ADTP703TU |
|---------|-----------|

|        |           |
|--------|-----------|
| LUTRON | AYCL-153P |
|--------|-----------|

|        |           |
|--------|-----------|
| LUTRON | AYCL-253P |
|--------|-----------|

|        |           |
|--------|-----------|
| LUTRON | CTCL-153P |
|--------|-----------|

|        |           |
|--------|-----------|
| LUTRON | CTRP-253P |
|--------|-----------|

|       |           |
|-------|-----------|
| Eaton | DAL06P-C2 |
|-------|-----------|

|         |       |
|---------|-------|
| LEVITON | DDMX1 |
|---------|-------|

|         |       |
|---------|-------|
| LEVITON | DG6HD |
|---------|-------|

|         |       |
|---------|-------|
| LEVITON | DH6HD |
|---------|-------|

|         |       |
|---------|-------|
| LEVITON | DL6HD |
|---------|-------|

|         |           |
|---------|-----------|
| LEVITON | DSE06-10Z |
|---------|-----------|

|         |       |
|---------|-------|
| LEVITON | DSL06 |
|---------|-------|

|         |           |
|---------|-----------|
| LEVITON | DSL06-1LZ |
|---------|-----------|

|         |       |
|---------|-------|
| LEVITON | DSM10 |
|---------|-------|

|       |           |
|-------|-----------|
| Eaton | DUL06P-C2 |
|-------|-----------|

|        |           |
|--------|-----------|
| LUTRON | DVCL-153P |
|--------|-----------|

|        |           |
|--------|-----------|
| LUTRON | DVCL-253P |
|--------|-----------|

|        |           |
|--------|-----------|
| LUTRON | DVRP-253P |
|--------|-----------|

|         |       |
|---------|-------|
| LEVITON | DW6HD |
|---------|-------|

|         |       |
|---------|-------|
| LEVITON | DZ6HD |
|---------|-------|

|        |          |
|--------|----------|
| LUTRON | HQRA-PRO |
|--------|----------|

|        |          |
|--------|----------|
| LUTRON | HQRD-10D |
|--------|----------|

|         |             |
|---------|-------------|
| LUTRON  | HQRD-10NBD  |
| LUTRON  | HQRD-6ND    |
| LUTRON  | HQRD-HN6BRL |
| LUTRON  | HQRD-PRO    |
| LUTRON  | HRST-PRO-N  |
| LEVITON | IPE04-1L    |
| LEVITON | IPL06       |
| LUTRON  | LECL-153P   |
| LUTRON  | MA-PRO      |
| LUTRON  | MACL-153M   |
| LUTRON  | MACL-LFQ    |
| LUTRON  | MRF2S-6ELV  |
| LUTRON  | MSCL-OP153M |
| LUTRON  | NTCL-250    |
| LUTRON  | NTRP-250    |
| LUTRON  | PD-10NXD    |
| LUTRON  | PD-5NE      |
| LUTRON  | PD-6WCL     |
| LUTRON  | RCL-153PNL  |
| Eaton   | RF9640-ND   |
| LEGRAND | RH703PTUTC  |
| LEGRAND | RHCL450PTC  |
| LEVITON | RNL06-10Z   |
| LUTRON  | RRD-10D     |
| LUTRON  | RRD-6CL     |
| LUTRON  | RRD-6ND     |
| LUTRON  | RRD-H6BRL   |
| LUTRON  | RRD-PRO     |

|                |            |
|----------------|------------|
| <b>LUTRON</b>  | RRST-PRO-N |
| <b>SATCO</b>   | S11268     |
| <b>Eaton</b>   | SALo6P     |
| <b>LUTRON</b>  | SCL-153P   |
| <b>LUTRON</b>  | ST-PRO-N   |
| <b>LUTRON</b>  | STCL-153M  |
| <b>Eaton</b>   | SUF7       |
| <b>Eaton</b>   | TALo6P-C2  |
| <b>LUTRON</b>  | TGCL-153PH |
| <b>LEVITON</b> | TSLo6      |
| <b>LEVITON</b> | TSM10      |
| <b>LUTRON</b>  | TTCL-100H  |
| <b>Eaton</b>   | VSULo6D    |