
WARRANTY

We strive to offer high-quality products, and we also try our best to satisfy each and every customer that orders from us with product or service as needed.

Each customer must provide a record of their order such as the order number, or item receipt for any items that are out of the warranty period you may also still receive replacement parts by purchasing them with our company if they are available.

Are you having difficulty
with assembly? Missing parts?
Please contact us: info@firstopintl.com
telephone No.:5627813327
send email with your order No. to
For return, please check the return policy with
the retailer or market place you bought from.
Appreciate your purchasing from us.
Pop up your life by our furniture!





ITEM NO.DINCH

NOTE:

This brochure contains IMPORTANT safety info. Please read and keep for future reference.

MAINTAINANCE AND WARNING

- Keep furniture away from heat and fire.
- Keep furniture away from sharp objects.
- Do not clean furniture with harsh cleansers or polish. Do not use detergents, Solvents, abrasives, spray packs or leather cleaner. Use non-color mild soap with warm water clean spills(Mix 1:10 soap to water)
- Do not place furniture under direct sunlight, material will possibly fade over time.
- Do not jump or strike on the furniture.
- Do not write on furniture without a padded barrier to protect the surface.
- Not for commercial use, For residential use only.

PARTS LIST

A*1



Seat

B*1







Metal leg

Metal leg




Weight Limitation

400LBS

HARDWARE and TOOL LIST




SPARE




Be sure to check all packing materia fit the packing list. Carefully for small parts, which may have come loose inside the carton during shipment.

The instructions are for the assembly of one chair.


ASSEMBLYINSTRUCTIONS



STEP1:Attach the metal leg (C) to the metal leg (B) using bolt () and Allen wrench(). Tighten the bolt fully.



STEP 2:Attach the metal legs(B&C) to the seat (A) using bolts () and Allen wrench(). Tighten all the screws 70% so that you can adjust slightly during the process of assembly.



Assembly completed.