
# ASSEMBLY INSTRUCTIONS - BM302228



## **NOTES ON ASSEMBLY**

- To ensure ease of assembly read all instructions before assembly and follow step by step illustrations.
- Keep instructions for future use.
- Adult assembly required.
- Due to the presence of small parts during assembly, keep out of reach of children until assembly is complete.

### **MAINTENANCE TIPS**

- Never let liquids or damp cloths sit on this furniture.
- Never use chemical cleaning products. They can damage the finish. For cleaning, use only a slightly damp cloth and wipe dry.
- To avoid dulling of the finish, do not place furniture in direct sunlight.
- Do not put plastic or rubber rings under appliances. Use cloth of felt protectors.
- To clean, use a soft or slightly damp cloth, then wipe with a clean, dry cloth.

# **⚠** WARNING **⚠** AVERTISSEMENT / ADVERTENCIA

Serious or fatal crushing injuries can occur from furniture tip-over. To help prevent tip-over:


- It is important to place the safety bracket included.
- Place heaviest items in the lowest storage space.
- Never allow children to climb or hang on drawers, doors, or shelves.
- Never open more than one drawer at a time.
- If a heavy object is placed on top or inside the furniture, consider this risk.

Use of tip-over restraints reduce, but does not eliminate, the risk of tip-over.


# HARDWARE QUINCAILLERIE


(4)	14: :F: D #	(0)	14: :6: 0	(0)	14/ 15 140.50
(1)	Minifix Bolt	(2)	Minifix Cam	(3)	Wood Dowel ∮8x50mm
	50 pcs		52 pcs		1 pc
(4)	Wood Dowel ∮8x30mm	(5)	Wood Dowel ∮8x20mm	(6)	Screw \$\darphi 4x38mm
					<b>Dangangan</b>
	69 pcs		2 pcs		24 pcs
(7)	Handle Screw <i>Ф4x19mm</i>	(8)	Screw Ø4x28mm	(9)	Screw Ø4x20mm
	Emmmo		Managara Colombia		(Marian)
	16 pcs		20 pcs		24 pcs
(10)	Screw Ø3.5x15mm	(11)	Screw Ø3x12mm	(12)	Euro Screw \phi6.3x9mm
	Day of		De la constante de la constant		
	58 pcs		6 pcs		12 pcs
(13)	Nail	(14)	Unitar Screw ∮6.3x50mm	(15)	PVC L-Bracket
			@Jaggagagaga		
	6 pcs		1 pc	lΓ	2 pcs
(16)	Drawer Slide 12"	(17)	Drawer Slide 12"	(18)	PVC Block - 35mm
	000000000000000000000000000000000000000		0		
	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	<b>∤</b>	10 ::
( ( 0 )	6 sets	(0.0)	6 sets	(2.1)	12 pcs
(19)	Handle - 96mm	(20)	Double Head Minifix	(21)	Allen Key M4
	8 pcs	1	1 pc	1	1 pc


## **FURNITURE TIPPING RESTRAINT**





## **TOOLS NOT INCLUDED**






































INSTRUCTION TO AVOID DISTORTION OF OVERALL LOOK OF PRODUCTS






























































(X6)





7		Ennous	8 pcs
19	)		4 pcs






IMPORTANT: THIS UNIT MUST BE SECURE TO THE WALL TO HELP PREVENT TIPOVER. FOLLOW THESE INSTRUCTIONS TO INSTALL THE ANTI-TIPPING SAFETY BRACKET PROVIDED WITH THIS PRODUCT.







2 pcs




### Drywall anchor that supplied with this product is general purpose wall plug only.

Consult your local hardware store for appropriate anchors for the type of wall you intend to securely attach the safety bracket.








#### **OPTION 1: Attachment into a wall stud (preferred method)**

Using a stud finder, locate a stud in the wall. Place your unit against the wall, with the safety bracket aligned in this location. To make driving the screw easier, you can drill a 3mm diameter pilot hole through the safety bracket into the stud. Drive the screw through the safety bracket into the wall stud. Tighten the screw that was not fully tightened in step 9.

#### **OPTION 2: Attachment into masonry**

Locate your unit where desired against a wall and mark the wall through the safety bracket, then move your unit aside. Drill a 6mm diameter hole into the wall. Tap the wall anchor into the hole until it is flush. Move your unit into location and fasten the wall bracket to the wall anchor with the screw. Tighten the screw that was not fully tightened in step 9.



This product is designed to withstand the weight vindicated on the plan. We are not responsible for the breakage of parts or any injury caused by failure to comply with this recommendation.

