
Assembly Instructions Caution: You must read this before you proceed **LOVESEAT**

Part List				
Label	Picture	Description	QTY	
А		Backrest	1	
В		Left Armrest	1	
С		Right Armrest	1	
D	•	Seat Frame	1	
E		Seat Cushion	2	
F		Leg	4	
Hardware List				
Label	Picture	Description	QTY	
1)	()	Bolt(M8*55)	3	
2		Screw Arbor(M8*70)	5	

3		Nut	5
4		Flat Washer Ring	7
(5)	₩	Plastic Washer	7
6	೦	Spring Washer Ring	7
7		Allen Wrench	1
8	\$	Spanner	1

Assembly Preparation

Before Beginning Assembly:





· Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-



· Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-

Assembly Steps OVERVIEW Left Armrest(B) Backrest(A) Right Armrest(C) Leg(F) Seat Frame(D) FRONT FACING


This LOVESEAT Sofa has multiple parts and may require up to 60 minutes to assemble. To give you an overview of the Sofa parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Note: It is recommended that you have an adult partner to assist during the entire assembly process.



Screw the Screw Arbor(②) into mounting position on the Left Armrest(B) by hand until tight. Repeat the same step with the Right Armrest(C). Step 2 Right Armrest(C) Left Armrest(B) Seat Frame(D) Install the Left Armrest(B) and Right Armrest(C) to the Seat Frame(D) as shown above. Step 3 Left Armrest(B) Right Armrest(C) Seat Frame(D)

Attach the Left Armrest(B) and Right Armrest(C) to the Seat Frame(D) using Nut(③),Spring Washer Ring(⑥),Flat Washer Ring(④) with Spanner(⑧), turning clockwise until tight.




Slide the Tapered Connectors on the Backrest(A) into the Tapered Connectors on the Left Armrest(B) and the Right Armrest(C) as shown above.

Note: Make sure the Tapered Connectors on Backrest(A) lock into the Tapered Connectors on the Left Armrest(B) and Right Armrest(C).

Assistance from an adult partner is necessary for this assembly process.


During this assembly process - do exercise caution. You may need to use your hand to press down and or pave away the padded surface to facilitate the 'slip and slide' assembly. Caution: Ensure that your fingers do not get caught or pinched in the assembly process.



Position the sofa bottom up.

Attach the Backrest(A) to the Seat Frame(D) using Bolt(①), Spring Washer Ring(⑥), Flat Washer Ring(④) with Allen Wrench(②), turning clockwise until tight .







Install the Leg(F) into the bottom of Left Armrest (B) and Right Armrest(C) by placing Plastic Washer(⑤) on the threaded stem. Then insert threaded stem into the threaded mounting postion at the bottom of Left Armrest(B) and Right Armrest(C).

Note: The use of Plastic Washer(⑤) are OPTIONAL and are especially useful to help alleviate slight wobbles. Some Legs may need more than one whilst some legs may not need any.







Care & Maintenance



 Furniture may scratch floors. We recommend using furniture pads to protect your floors.



Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



Do not place furniture under direct sunlight.



Do not place furniture near heating or cooling vents.



 Do not write on furniture without a padded barrier to protect the surface.



Do not place furniture outside. For indoor use only.



Not for commercial use. For residential use only.



 Stains may be removed with mild soap solution and damp cloth.



Children should not climb or jump on the furniture.



 Dust and pick-up spills using a clean, non-colored, lint-free cloth.