### WIRE CONNECTION DIAGRAM

Wires meet safety standards are recommended to connect the supply circuit.

**CAUTION:** Risk of fire




#### **CANOPY INSTALLATION INSTRUCTIONS**

Please read all instructions carefully. Before you proceed to install, make sure that the power supply is turned off and remainsoff until installation is complete.

Please not that each part has been assigned a letter.

Please proceed in an alphabetical order.




#### **Light Bulb**




## USER MANUAL FOR MODEL# HG88166

Light Bulb:GU10 light:GU10\*4

( Rated 110-130V/60Hz, bulb 60W maximum.)



Please note: The parts in this table are completely unassembled, for illustrative purpose. In the actual product that you receive, some parts are assembled and attached together.



## Products list

| 1   |                                       |          |
|-----|---------------------------------------|----------|
| NO. | Picture                               | Quantity |
| 1   | <del>⊤ ≪≅</del> > ⊤                   | 1 PCS    |
| 2   |                                       | 1 PCS    |
| 3   |                                       | 2 PCS    |
| A   |                                       | 12 PCS   |
| В   | • • • •                               | 8 PCS    |
| С   | · · · · · ·                           | 8 PCS    |
| D   | • • • • •                             | 4 PCS    |
| Е   | • • • • • • • • • • • • • • • • • • • | 8 PCS    |
| F   |                                       | 8 PCS    |
| Ι   |                                       | 4 PCS    |
|     |                                       |          |

# **Assembly and Installation Steps** 1: Used two screws lock on the ceiling tightly to fix the light. 2:Lock together. 4:Install the crystal pendant. 3:Installation of light source.

## **Product Size**

