
HARDTOP GAZEBO WITH NETTING

If you have any questions about the outdoor gazebo, please feel free to contact us.

Customer Service Email: Service@alaulm.com





1216Gazebo24

IMPORTANT PLEASE READ BEFORE YOU COMMENCE ASSEMBLY

Follow the guidelines in this user guide to ensure correct assembly and care for this product.

SPECIFICATIONS






Catalog

Specifications07
Notice And Warning
Exploded Views
First Part06
Second Part07
Third Part08
Fourth Part
Fifth Part10
Parts List
Hardware List
How to Assemble Hartop Gazbo



Note: The gazebo needs to be installed in cooperation with five people. The following tools are not included and needed for assembly:



Warning


- 1. A 5 personal assembly is required for this gazebo.
- 2. Please take appropriate actions as heavy rain, wind and snow can damage the gazebo. If necessary please disassemble and store it for later use.
- 3. In snowy conditions, please do not allow the thickness of the snow to be more than 1.82 inches on the roof, this should be cleared as soon as possible for your safety. When the wind speed reaches 38.49 km/h, please take measures to avoid the wind.

PLEASE RETAIN THESE INSTRUCTIONS FOR FUTURE REFERENCE. Dear Customer,

Thank you for shopping with us!

When you receive the product, please make sure that all the parts are intact. Then please browse the entire installation manual before assembling. If any problem occurs unsatisfactorily as follows:


- A.The outer box is damaged
- B.The product is damaged / bent / cracked while you open the box
- C.The parts / accessories / assembly tools are missing
- D.The product is hard to assemble
- E. The instructions are not clear and can not be referred
- F.The product has functional problems
- G.Other aspects that you are not satisfied with Please feel free to contact us for help. Our after-sales team service (**Service@alaulm.com**) will reply within 24 hours and will do our best to resolve the problem for you.



Attention:


- 1.Please fix all the screws first, do not lock them off, after assembling is fully completed, lock all at once finally.
- 2.Please check the manual carefully and make sure you have received all the parts.
- 3. If there is any missing, please let us know the letter of the parts you need.
- 4.If there is any damage, please send clear photos to us, and we will check and offer you best solution soon.


EXPLODED VIEWS




FIRST PART 9 ်တ **R3** 0 0 S **P**5

SECOND PART






FOURTH PART




FIFTH PART



Parts List (Box A)				
A	R4	R 5	R6	R7
⊕				
Column	Cover plate on big top diagonal beam	Large top diagonal beam under cover	Small top diagonal beam cover 1	Small top diagonal beam cover 2
4 PCS	4 PCS	4 PCS	2 PCS	2 PCS
T2	T3			
£				
Short side mosquito net tube	Long side mosquito net tube			
4 PCS	4 PCS			
		Parts List (Box B)		
D3	E3	E4	E7	M7
8 8	C	£	(
Big Top Frame Long Tube	Short side beam 1	Short side beam 2	Long side center beam	Big Top Downtube 1
2 PCS	2 PCS	2 PCS	2 PCS	4 PCS
M8	T4)			
<u> </u>				
Big Top Downtube 2	Long side center mosquito net tube			
4 PCS	2 PCS			

	Parts List (Box C)				
D	(D1)	D4)	E 5	E6	
		V	(<u></u>	(<u>. </u>	
Connector for the upper part of the big top diagonal beam	Large top frame short tube	Small Top Connector	Long side beam 1	Long side beam 2	
4 PCS	2 PCS	1 PC	2 PCS	2 PCS	
(H1)	H2	<u>L1</u>)	L3	(L5)	
Diagonal brace 1	Diagonal brace 2	Small top short side girder	Small top long side beam	Small beams on the upper edge of the big top	
4 PCS	4 PCS	2 PCS	4 PCS	8 PCS	
L6	L8	M1)	M3	(M4)	
£		₹	E		
Small beams on the lower edge of the big top	Small beam in the center of the long side of the big top	Small top short side downstops	Small top long side down stop tube 1	Small top long side down stop tube 2	
8 PCS	4 PCS	2 PCS	2 PCS	2 PCS	
M10	R3	(X1)	X3)	(X4)	
					
Big top long side center retaining tube	Roof Plate	Large top frame short side mosquito net cover plate	Large top frame long side mosquito net cover plate 1	Large top frame long side mosquito net cover plate 2	
2 PCS	1 PC	2 PCS	2 PCS	2 PCS	
(Y2)	(Y3)	Y8)			
		(in the second			
Center Beam Lower Connector	Inclined beam stopper	Beam Inserts			
6 PCS	8 PCS	6 PCS			


Parts List (Box D)				
B	C	J1	G 1	G 2
				•
Spike cover	Floorboards	Center crossbar	Upper part of the big top diagonal beam	Lower part of the big top diagonal beam
4 PCS	4 PCS	6 PCS	4 PCS	4 PCS
K	(K1)	P	S	(Y4)
				0 0
Small top sloping beam	Small top center beam	Hook up	Layer	Connector under inclined beam
4 PCS	2 PCS	2 PCS	40 PCS	4 PCS
(Y5)	Y6)			
Beam corner stopper	Beam center stopper			
4 PCS	6 PCS			





Hardware List(Box F)				
AA	BB	CC	DD	EE
4CCCCCCCC &				(f)
Cross big flat he ad self-tapping M4*16	Flat washer M6	Cross Outer Hexagon Bolt M6*35	Hexagon nut M6	Flat head hexagon socket head bolts M6*45
20 PCS	4 PCS	8 PCS	4 PCS	32 PCS
FF	GG	HH	JJ	(KK)
Cross Outer Hexagon Bolt M6*20	Cross Outer Hexagon Bolt M6*15	Mosquito net ring	Cross Outer Hexagon Bolt M6*55	Cross Outer Hexagon Bolt M6*45
360 PCS	72 PCS	128 PCS	4 PCS	2 PCS
PP	QQ	(Z1)	(Z2)	ŰÜ
Round head nail Φ8*180	Cross Outer Hexagon Bolt M6*40	Open wrench M6	Allen key M6	Expansion Bolt M6*80
8 PCS	20 PCS	2 PCS	2 PCS	8 PCS


- 1. Please ensure that all accessories are complete before starting the installation.
- 2. Due to the variety of accessories, many accessories may be glued together, please check carefully
- 3. If any accessories are missing or damaged, please contact the seller immediately.


E-Mail: Service@alaulm.com






















Step 6:Use screws(EE) to connect and fix the connected short side beam(E3 and E4) and column(A), and then use screws(GG) to connect the diagonal brace(H1 and H2) with the short side beam(E3 and E4) and column(A).Use screws (FF) to connect the columns(A) and the connector under inclined beam(Y4) .







NOTE:Review the pictures to determine the location of the screw holes and the orientation of the parts.



(H1) 2x







Step 9:Connect the large top frame short tube(D1) and the STEP 9 big top frame long tube(D3) with the connector for the upper part of the big top diagonal beam(D) pieces and then lock them with screws(FF). NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts. D) 4x (D1) 2x D3 D3 D1 D) D3 2x


(FF) 16x

M6x20




Step 10:Connect the top frame(D1 and D3) to the base frame with center crossbar(J1), place the center crossbar (J1) on top of the center beam lower connector(Y2) and fix it with the screws(GG).







Step 12:Adjust the diagonal beam in the right direction, connect the top frame to the bottom section and secure with screws(CC and JJ).





Step 13:Screw the small top sloping beam(K) and the STEP 13 small top connector(D4) to the top frame, and then install it with screws(GG). **NOTE**:Review the pictures to determine the location of the screw holes and the orientation of the parts. K (K)(K) 4x GĠ (D4) GG 8x M6x15





Step 14:Screw the small top center beam(K1) and the small top connector(D4) to the top frame, and then install it with screws(GG).














STEP 19 Step 19:Attach the layer(S) to the small top cover piece(P1, P2,P4,P5 and P6) with the screws(FF) in the position shown in the illustration.

NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.

8x











Step 20:Attach the roof plate(R3) and hook up(P) to the STEP 20 small top connector(D4) with screws(KK), attach the small top diagonal beam cover(R6 and R7) to the four ridges of the small top with screws(QQ), then attach the inclined beam stopper(Y3) to the four edge corners of the small top with screws(FF).


NOTE:Review the pictures to determine the location of the screw holes and the orientation of the parts.






















S 32x

Step 25:Attach the layer(S) to the large top cover piece with the screws(FF) in the position shown in the illustration, then attach the inclined beam stopper(Y3) to the four edge corners of the large top with screws(FF).


NOTE:Review the pictures to determine the location of the screw holes and the orientation of the parts.






Step 27:Hang the mosquito net(U2) on the mosquito net ring(HH) on the inside of the mosquito net tube(T2,T3 and T4).Attach the four corners of the sticky tape to the post. **NOTF**:Mosquito net with 9 hanging loops on the long side.

NOTE: Mosquito net with 9 hanging loops on the long side and 7 loops on the short side.




U2 1x






Step 28:Hang the surrounding cloth(V2) on the mosquito net ring(HH) on the outside of the mosquito net tube(T2,T3 and T4).Attach the four corners of the sticky tape to the post. **NOTE**:Mosquito net with 9 hanging loops on the long side and 7 loops on the short side.



Step 29:Secure the post to the ground with ground nails (PP) and expansion screws(UU).

NOTE:Review the pictures to determine the location of the screw holes and the orientation of the parts.





www.alaulm.com

Make your life much better.