


HARDTOP GAZEBO WITH NETTING

If you have any questions about the outdoor gazebo, please feel free to contact us.

Customer Service Email: **Service@alaulm.com**






1214Gazebo24

IMPORTANT

PLEASE READ BEFORE YOU COMMENCE ASSEMBLY

Follow the guidelines in this user guide to ensure correct assembly and care for this product.

SPECIFICATIONS



NOTICE


Note: The gazebo needs to be installed in cooperation with five people. The following tools are not included and needed for assembly:



Pistol Drill




Tape Measure




Hammer



Screw Driver



2 m Adjustable Ladder



5 people

Warning

1. A 5 personal assembly is required for this gazebo.
2. Please take appropriate actions as heavy rain, wind and snow can damage the gazebo. If necessary please disassemble and store it for later use.
3. In snowy conditions, please do not allow the thickness of the snow to be more than 1.82 inches on the roof, this should be cleared as soon as possible for your safety. When the wind speed reaches 38.49 km/h, please take measures to avoid the wind.

PLEASE RETAIN THESE INSTRUCTIONS FOR FUTURE REFERENCE.

Dear Customer,


Thank you for shopping with us!

When you receive the product, please make sure that all the parts are intact. Then please browse the entire installation manual before assembling.

If any problem occurs unsatisfactorily as follows:

- A.The outer box is damaged
- B.The product is damaged / bent / cracked while you open the box
- C.The parts / accessories / assembly tools are missing
- D.The product is hard to assemble
- E. The instructions are not clear and can not be referred
- F.The product has functional problems
- G.Other aspects that you are not satisfied with

Please feel free to contact us for help. Our after-sales team service (**Service@alaulm.com**) will reply within 24 hours and will do our best to resolve the problem for you.




Attention:


- 1.Please fix all the screws first,do not lock them off,after assembling is fully completed, lock all at once finally.
- 2.Please check the manual carefully and make sure you have received all the parts.
- 3.If there is any missing,please let us know the letter of the parts you need.
- 4.If there is any damage,please send clear photos to us,and we will check and offer you best solution soon.

EXPLODED VIEWS


First Part




Second Part




Third Part




Fourth Part




Fifth Part




FIRST PART




SECOND PART




THIRD PART









FOURTH PART













FIFTH PART


















Parts List (Box A)

<p>(A)</p>  <p>Column</p>	<p>(R2)</p>  <p>Small top diagonal beam cover</p>	<p>(R4)</p>  <p>Cover plate for the upper part of the big top diagonal beam</p>	<p>(R5)</p>  <p>Cover plate for the lower part of the big top diagonal beam</p>	<p>(T1)</p>  <p>Long side mosquito net tube</p>
4 PCS	4 PCS	4 PCS	4 PCS	4 PCS
<p>(T2)</p>  <p>Short side mosquito net tube</p>				
4 PCS				






Parts List (Box B)

<p>(E1)</p>  <p>Long side beam 1</p>	<p>(E2)</p>  <p>Long side beam 2</p>	<p>(E3)</p>  <p>Short side beam 1</p>	<p>(E4)</p>  <p>Short side beam 2</p>	<p>(H1)</p>  <p>Diagonal brace 1</p>
2 PCS	2 PCS	2 PCS	2 PCS	4 PCS
<p>(H2)</p>  <p>Diagonal brace 2</p>	<p>(M2)</p>  <p>Small top long side down stop tube</p>	<p>(M7)</p>  <p>Big Top Downtube 1</p>	<p>(M8)</p>  <p>Big Top Downtube 2</p>	<p>(Y8)</p>  <p>Beam Inserts</p>
4 PCS	2 PCS	4 PCS	4 PCS	4 PCS






Parts List (Box C)

<p>D1</p>  <p>Large top frame short tube</p>	<p>D2</p>  <p>Big Top Frame Long Tube</p>	<p>J1</p>  <p>Center crossbar</p>	<p>G1</p>  <p>Upper part of the big top diagonal beam</p>	<p>G2</p>  <p>Lower part of the big top diagonal beam</p>
2 PCS	2 PCS	6 PCS	4 PCS	4 PCS
<p>L1</p>  <p>Small top short side girder</p>	<p>L2</p>  <p>small top long side beam</p>	<p>L5</p>  <p>Small beams on the upper edge of the big top</p>	<p>L6</p>  <p>Small beams on the lower edge of the big top</p>	<p>L7</p>  <p>Small beam in the center of the long side of the big top</p>
2 PCS	2 PCS	8 PCS	8 PCS	4 PCS
<p>M1</p>  <p>Small top short side downstops</p>	<p>M9</p>  <p>Big Top Long Side Center Block Tube</p>	<p>Q8</p>  <p>Big Top Long Side Center Cover Piece</p>	<p>X1</p>  <p>Large top frame short side mosquito net cover plate</p>	<p>X2</p>  <p>Large top frame long side mosquito net cover plate</p>
2 PCS	2 PCS	4 PCS	2 PCS	2 PCS
















Parts List (Box D)

<p>P1</p>  <p>Small top short side left flap</p>	<p>P2</p>  <p>Small top short side right flap</p>	<p>P3</p>  <p>Small top long side center flap piece</p>	<p>Q1</p>  <p>Small cover piece to the left of the big top</p>	<p>Q2</p>  <p>Small cover piece to the right of the big top</p>
4 PCS	4 PCS	4 PCS	4 PCS	4 PCS
















Parts List (Box D)

<p>Q3</p>  <p>Medium-sized cover piece on the left side of the big top</p>	<p>Q4</p>  <p>Medium-sized cover piece on the right side of the big top</p>	<p>Q5</p>  <p>Large diagonal cover piece on the left side of the big top</p>	<p>Q6</p>  <p>Large diagonal cover piece on the right side of the big top</p>	<p>Q7</p>  <p>Big top short side center flap</p>
4 PCS	4 PCS	4 PCS	4 PCS	8 PCS

Parts List (Box E)

<p>B</p>  <p>Spike cover</p>	<p>C</p>  <p>Floorboards</p>	<p>D</p>  <p>Connector for the upper part of the big top diagonal beam</p>	<p>K</p>  <p>Small top sloping beam</p>	<p>P</p>  <p>Hook up</p>
4 PCS	4 PCS	4 PCS	4 PCS	1 PC
<p>Q</p>  <p>Small Top Connector</p>	<p>R1</p>  <p>Roof Plate</p>	<p>S</p>  <p>Layer</p>	<p>Y2</p>  <p>Center Beam Lower Connector</p>	<p>Y3</p>  <p>Inclined beam stopper</p>
1 PC	1 PC	40 PCS	6 PCS	8 PCS
<p>Y4</p>  <p>Connector under inclined beam</p>	<p>Y5</p>  <p>Beam corner stopper</p>	<p>Y6</p>  <p>Beam center stopper</p>	<p>U1</p>  <p>Mosquito Net</p>	<p>V1</p>  <p>Surrounding Cloth</p>
4 PCS	4 PCS	4 PCS	1 PC	1 PC

Hardware List(Box E)

<p>AA</p>  <p>Cross big flat head self-tapping M4*16</p> <p>16 PCS</p>	<p>BB</p>  <p>Flat washer M6</p> <p>4 PCS</p>	<p>CC</p>  <p>Cross Outer Hexagon Bolt M6*35</p> <p>8 PCS</p>	<p>DD</p>  <p>Hexagon nut M6</p> <p>4 PCS</p>	<p>EE</p>  <p>Flat head hexagon socket head bolts M6*45</p> <p>32 PCS</p>
<p>FF</p>  <p>Cross Outer Hexagon Bolt M6*20</p> <p>324 PCS</p>	<p>GG</p>  <p>Cross Outer Hexagon Bolt M6*15</p> <p>68 PCS</p>	<p>HH</p>  <p>Mosquito net ring</p> <p>120 PCS</p>	<p>JJ</p>  <p>Cross Outer Hexagon Bolt M6*55</p> <p>4 PCS</p>	<p>KK</p>  <p>Cross Outer Hexagon Bolt M6*45</p> <p>2 PCS</p>
<p>PP</p>  <p>Round head nail Φ8*180</p> <p>8 PCS</p>	<p>QQ</p>  <p>Cross Outer Hexagon Bolt M6*40</p> <p>20 PCS</p>	<p>Z1</p>  <p>Open wrench M6</p> <p>2 PCS</p>	<p>Z2</p>  <p>Allen key M6</p> <p>2 PCS</p>	<p>UU</p>  <p>Expansion Bolt M6*80</p> <p>8 PCS</p>

1. Please ensure that all accessories are complete before starting the installation.

2. Due to the variety of accessories, many accessories may be glued together, please check carefully

3. If any accessories are missing or damaged, please contact the seller immediately.

E-Mail: Service@alaulm.com

STEP 1


Step 1: Attach the column(A) to the floorboards(C) with screws(FF). Then slip the spike cover(B) into the column(A).





(A) 4x




(B) 4x



(C) 4x



(FF) 16x




M6x20


STEP 2

Step 2: Insert the beam inserts (Y8) into long side beam 1 (E1) and long side beam 2 (E2) with the holes aligned and fasten with screws (FF).


NOTE: Look at the picture to determine the location of the screw holes.







(E1) 2x




(E2) 2x



(Y8) 2x



(FF) 16x




M6x20


STEP 3

Step 3: Insert the beam inserts (Y8) into short side beam 1 (E3) and short side beam 2 (E4) with the holes aligned and fasten with screws (FF).


NOTE: Look at the picture to determine the location of the screw holes.




E3 2x




E4 2x



Y8 2x



FF 16x



M6x20

STEP 4



T1 4x





Y2 4x



Y6 2x

Step 4: Install the long side mosquito net tube (T1) on the long side beam (E1 and E2), slide the mosquito net ring (HH) into the slots of the mosquito net tube (T1) from the side, each mosquito net tube (T1) has 16 mosquito net rings (HH). Fix the beam center stopper (Y6) to the joint of the two long side beam (E1 and E2) and fix the center beam lower connector (Y2) to the long side beam (E1 and E2).

NOTE: A side mosquito net tube (T1) with two slots and 8 mosquito net rings (HH) in each slot. Look at the picture to determine the location of the screw holes.



HH 64x




AA 4x



M4x16

FF 16x



M6x20

STEP 5



(T2) 4x



(Y6) 2x




(Y2) 2x

Step 5: Install the short side mosquito net tube (T2) on the short side beam (E3 and E4) with screws (FF), slide the mosquito net ring (HH) into the slots of the mosquito net tube (T2) from the side, each mosquito net tube (T2) has 14 mosquito net rings (HH).

Fix the beam center stopper (Y6) to the joint of the two short side beam (E3 and E4) with screws (AA) and fix the center beam lower connector (Y2) to the short side beam (E3 and E4) with screws (FF).

NOTE: A side mosquito net tube (T2) with two slots and 7 mosquito net rings (HH) in each slot. Look at the picture to determine the location of the screw holes.



(HH) 56x




(AA) 4x



M4x16

(FF) 14x




M6x20

STEP 6

Step 6: Use screws (EE) to connect and fix the connected short side beam (E3 and E4) and column (A), and then use screws (GG) to connect the diagonal brace (H1 and H2) with the short side beam (E3 and E4) and column (A). Screw (FF) the connector under inclined beam (Y4) to the columns (A).


NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.




H1 2x




H2 2x



Y4 4x



GG 16x




M6x15

EE 16x



M6x45

FF 8x




M6x20

STEP 7

Step 7: Use screws (EE) to connect and fix the connected long side beam (E1 and E2) and column (A), and then use screws (GG) to connect the diagonal brace (H1 and H2) with the long side beam (E1 and E2) and column (A).


NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.



H1 2x



H2 2x




GG 16x




M6x15

EE 16x



M6x45


STEP 8



Y5 4x

Step 8: Fasten the beam corner stopper (Y5) to the corners of the side beam (E1, E2, E3 and E4) with screws (AA).

NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.




AA 8x



M4x16

STEP 9



D 4x




D1 2x




D2 2x

Step 9: Connect the large top frame short tube(D1) and the large top frame long tube(D2) with the connector for the upper part of the big top diagonal beam(D) pieces and then lock them with screws(FF).

NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.




FF 16x



M6x20


STEP 10




J1 6x

Step 10: Connect the top frame(D1 and D2) to the base frame with center crossbar(J1), place the center crossbar (J1) on top of the center beam lower connector(Y2) and fix it with the screws(GG).

NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.



GG 12x








M6x15


STEP 11

Step 11: Insert the lower part of the big top diagonal beam (G2) into the upper part of the big top diagonal beam (G1) and secure with screws (GG).

NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.



GG 16x




M6x15

STEP 12

Step 12: Adjust the diagonal beam in the right direction, connect the top frame to the bottom section and secure with screws(CC and JJ).

NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.



DD 4x




M6

BB 4x




M6

CC 8x



M6x35

JJ 4x




M6x55

STEP 13

Step 13: Screw the small top sloping beam(K) and the small top connector(Q) to the top frame, and then install it with screws(GG).


NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.




K 4x



Q 1x



GG 8x




M6x15

STEP 14

Step 14: Attach the large top frame side mosquito net cover plate(X1 and X2) in place between the big top and the small top with screws(FF).




NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.




(X1) 2x



(X2) 2x



(FF) 10x




M6x20

STEP 15

Step 15: Attach the small top side girder(L1 and L2) and small top side down stop tube(M1 and M2) to the small top with screws(FF).


NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.




L1 2x







L2 2x




M1 2x



M2 2x



FF 16x




M6x20


STEP 16

Step 16: Attach the small top cover piece (P1, P2 and P3) to the small top frame with the screws (FF) in the position shown in the illustration.


NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.






P1 4x




P2 4x



P3 4x




FF 8x



M6x20


STEP 17




(S) 8x

Step 17: Attach the layer(S) to the small top cover piece(P1, P2 and P3) with the screws(FF) in the position shown in the illustration.

NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.



(FF) 24x




M6x20

STEP 18

Step 18: Attach the roof plate(R1) and hook up(P) to the small top connector(Q) with screws(KK), attach the small top diagonal beam cover(R2) to the four ridges of the small top with screws(QQ), then attach the inclined beam stopper(Y3) to the four edge corners of the small top with screws(FF).

NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.



R1 1x




R2 4x




P 1x



Y3 4x




KK 2x




M6x45

QQ 8x



M6x40

FF 4x



M6x20

STEP 19

Step 19:Secure the small beams on the edge of the big top (L5,L6 and L7) to the large top frame with screws (FF).

NOTE:Review the pictures to determine the location of the screw holes and the orientation of the parts.





(L5) 8x




(L6) 8x



(L7) 4x



(FF) 40x




M6x20


STEP 20

Step 20: Secure the big top downtube (M7, M8 and M9) to the large top frame with screws (FF).

NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.





M7 4x




M8 4x



M9 2x



FF 20x



M6x20

STEP 21

Step 21:Secure the left and right side large top cover tabs to the big top frame with screws(FF) in the locations shown in the mounting illustrations.

NOTE:Review the pictures to determine the location of the screw holes and the orientation of the parts.

Q1 2x

Q2 2x




Q3 2x

Q4 2x


Q5 2x

Q6 2x

Q7 4x



FF 12x













M6x20

STEP 22

Step 22:Secure the front and rear side large top cover tabs to the big top frame with screws(FF) in the locations shown in the mounting illustrations.

NOTE:Review the pictures to determine the location of the screw holes and the orientation of the parts.




STEP 23

Step 23: Attach the layer(S) to the large top cover piece with the screws(FF) in the position shown in the illustration, then attach the inclined beam stopper(Y3) to the four edge corners of the large top with screws(FF).


NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.




Y3 4x



S 32x



FF 76x




M6x20


STEP 24

Step 24: Secure the top and bottom half of big top diagonal beam cover plate (R4 and R5) to the four prongs of the large top with screws (QQ).


NOTE: Review the pictures to determine the location of the screw holes and the orientation of the parts.




R4 4x



R5 4x



QQ 12x




M6x40


STEP 25

Step 25: Hang the mosquito net(U1) on the mosquito net ring(HH) on the inside of the mosquito net tube(T1 and T2). Attach the four corners of the sticky tape to the post.

NOTE: Mosquito net with 8 hanging loops on the long side and 7 loops on the short side.




U1 1x




STEP 26

Step 26: Hang the surrounding cloth(V1) on the mosquito net ring(HH) on the outside of the mosquito net tube(T1 and T2). Attach the four corners of the sticky tape to the post.

NOTE: Mosquito net with 8 hanging loops on the long side and 7 loops on the short side.




V1 1x




STEP 27

Step 27:Secure the post to the ground with ground nails (PP) and expansion screws(UU).

NOTE:Review the pictures to determine the location of the screw holes and the orientation of the parts.




UU 8x




M6X80

PP 8x



D8X180



www.alaulm.com

Make your life much better.