


Patio 2-Seat Swing

ASSEMBLY MANUAL



MODEL#:LQCR0583

Missing part? Damaged? Contact us via email at

service@domioutdoorliving.com

www.domioutdoorliving.com

















































READ & SAVE BELOW INSTRUCTIONS BEFORE ASSEMBLY










1. Please separate and identify all parts, making sure that you have all of the parts listed.
2. To avoid any scratch during assembly, please assemble on a soft mat or similar.
3. Please assemble step by step and follow the instructions.
4. Washers must be used.
5. While each screw and nut is properly fastened, do not over fasten it.
6. Do not completely fasten each screw and nut until all the screws are properly fixed.





CARE AND CLEANING:

1. To clean, wipe with damp cloth. Do not use bleach, acid solvents or abrasive cleaners or frame parts.
2. During varying weather conditions and winter period, we strongly recommend that it can be stored in a dry area with a suitable cover before storage, please insure it is clean and dry.
3. In the event of bare metal showing due to scratch, it is preferred to treat with a rust repelling varnish or similar.
4. Periodically check and ensure that all the screws are completely tighten.
5. A matching furniture cover is strongly recommended to extend the usage life-span.





 C 2X	
 D 2X	
 E 2X	
M6*16  ⑧ 4X	
 ⑪ 4X	<p>(1) Insert part #E to #C</p> <p>(2) Connect part #C, D and E with 2 screws #8. Cover with plastic caps #11 as shown in diagram.</p> <p>Repeat the above procedures to assemble the other Part #C, D and E.</p>
 ⑯ S4 1X	
 F 2X	
 G 2X	
M6*57  ⑥ 2X	
D6  ⑨ 2X	
M6  ⑩ 2X	
 ⑪ 2X	
 ⑫ 2X	
 ⑱ 1X	
 ⑯ S4 1X	
	<p>(3) Connect part #F and G with screws #6/ gasket #9 & nuts #10, then cover with plastic caps #11 & #12 as shown in diagram.</p> <p>Repeat the above procedures to assemble the other Part F and G.</p>
1	












<div data-bbox="57 163 331 230">  <div> <div>①</div> <div>8X</div> </div> </div> <div data-bbox="57 230 331 309">  <div> <div>③</div> <div>8X</div> </div> </div> <div data-bbox="57 309 331 387">  <div> <div>⑤</div> <div>8X</div> </div> </div> <div data-bbox="57 387 331 465">  <div> <div>⑬</div> <div>8X</div> </div> </div> <div data-bbox="57 465 331 544">  <div> <div>⑭</div> <div>8X</div> </div> </div> <div data-bbox="57 544 331 622">  <div> <div>⑰</div> <div>S5 1X</div> </div> </div> <div data-bbox="57 622 331 701">  <div> <div>⑱</div> <div>1X</div> </div> </div>	<div data-bbox="962 163 1508 376">  </div> <div data-bbox="542 465 1225 1182">  </div> <div data-bbox="365 1249 1538 1657"> <p>(4) Connect swing leg(#C/D/E) and support tube (#F/G) with 8 screws #1/ gaskets #3 & nuts #5, then cover with plastic caps #13 and #14 as shown in diagram.</p> <p>Repeat the above procedures to assemble the other part C/D/E and part F/G.</p> <p>Note: Pay attention to the upper and lower installation directions of the support tube to avoid swings seat being hit to the support tube during use.</p> </div>
<div data-bbox="180 2089 215 2145">2</div>	






(5) Connect part #A and B with 4 screws #7, then cover with plastic caps #11 as shown in diagram .



(6) Attach 4 hanging rope #J to the swing seat with the screws on # J.

 <div>⑮ 2X</div>	
 <div>M8*51 ② 2X</div>	
 <div>D8 ③ 2X</div>	
 <div>D8 ④ 2X</div>	
 <div>M8 ⑤ 2X</div>	
 <div>⑬ 2X</div>	
 <div>⑭ 2X</div>	
 <div>⑰ S5 1X</div>	
 <div>⑱ 1X</div>	
	<div data-bbox="438 324 1492 705">  </div> <div data-bbox="550 795 1252 1422">  </div> <div data-bbox="359 1523 1524 1747"> <p>(7) Insert part #15 to the rope eyelet, attach to the swing legs with screws #2/ gaskets #3/lock washers #4 and nuts #5, then cover with plastic caps #13 and #14.</p> <p>Repeat the above procedures to assemble another side.</p> </div>
<div>4</div>	



(8) Put on the cushion and pillows then enjoy a lazy time.