

**ITEM NO.SCSD0981** 

### NOTE:


This brochure contains IMPORTANT safty info. Please read and keep for future reference.

### MAINTAINANCE AND WARNING


- 1. Keep furniture away from heat sources.
- 2.Do not clean furniture with harsh cleaner or polishes.Do not use detergents, solvents, abrasives, spray packs or leather cleaner. Use non-color mild soap with warm water to clean spills (Mix 1:10 soap to water).
- 3.Do not place furniture under direct sunlight, material will possibly fade over time.
- 4.Do not use on site dry cleaning machine. Children should not climb or jump on the furniture.
- 5.Do not write on furniture that is not protected by a padded barrier.
- 6.Not for commercial use, only for residential use.




# **EXPLOSIVE VIEW**




# **PARTS LIST**




### HARDWARE LIST



### **TOOL LIST**




## **HARDWARE SPARE LIST**




#### STEP-1

1.Prepare for part A. Align the holes in part A, insert wooden dowel #2 by hand, tighten with screwdriver #20 tighten #1.




### STEP-2

Use screws #17 to install the light strip base on panel A, and use screwdriver #20 to tighten screws #17.




#### STEP-3

1.Connect the part A with part C&D. align the hole in the part C&D, insert the bolt #1 and wooden dowel #2 in part A into part C&D. insert cam bolt #3 into the corresponding hole of side panel C&D, and tighten the nuts #3 with a screwdriver #20. After installation, cover the screw holes with #12. Make sure the groove is in same side as picture show.




#### STEP-4

1.Connect the part A with part F. align the hole in the part F,insert the bolt #1 and wooden dowel #2 in part A into part F. insert cam bolt #3 into the corresponding hole of side panel F,and tighten the nuts #3 with a screwdriver #20. After installation, cover the screw holes with #13. Make sure the groove is in same side as picture show.



#### STEP-5


1.slide in the part E into the groove in part D,F and C,F. make sure they are also in groove in part A.Insert the wooden dowel #2 into the part C&D&F as the picture show.insert wooden dowel #2 by hand



#### STEP-6


1.Connect the part B the pre-assembled unit in step 5. Then align the holes in part B,Insert screw #4 and push it down so that it connects to parts C&D&F. Next,and tighten the screw #4 with


an Allen key #19.



#### STEP-7


1.Prepare the leg racks. Align the holes of the J part with the holes of the K part, insert the screw #10, and tighten the screw #10 with the allen key #19.






#### STEP-8


1.connect the leg frame to the cabinet.Attach the leg frame to the pre-assembled unit in step 7 with a screw #9 and tighten #9 with a






### STEP-10

1.Insert hardware #7 into part K&J as shown, screw in screw #6 using screwdriver #20 and tighten fully.




#### STEP-11

Place the shaft body into door panels I and H.Use #6 to install gasket #5 on door panels I and H.And use screwdriver #20 to tighten screw #6.




#### **STEP-12**

1.First,align the salient point of the lower end door spindle (H)&(I) with the corresponding hole of bottom panel(B),and then press the upper end salient point of door spindle (H)&(I) with hand, finally push it forward to the corresponding hole of top panel (A).




#### **STEP-13**


Use screws #17to install the light strip base on panel A, and use screwdriver #20 to tighten screws #17.





#### STEP-14

1.Insert shelf holder #13 into the corresponding hole of panel (C)&(D) and then attach panel (G) to it.












### **STEP-16**

1.Use screw #6 to attach part #14 to pre-assemble unit at step 16 , tighten screws with screwdriver #20.










#### **STEP-17**

- 1.Install the anti-collapse device.
- 2.Mark the position on the wall, that corresponds to the location of part#14 on the of panel (A); Drill and insert the expandable screw #15 by hammer.
- 3.Assemble the part #14 to the wall. Align the hole in the part #14 with the expandable screw #15, use screw #11 to attach it and tighten by screwdriver#20.





### **STEP-18**



## WARRANTY

- 1.We strive to offer high-quality products, and we also try our best to satisfy each and every customer that orders from us with product or service as needed.
- 2.We provide 30 days warranty starting from the time you receive the item. Each customer must provide a record of their order such as the order number, or item receipt for any items that are out of the warranty period you may also still receive.
- 3.Replacement parts by purchasing them with our company if they are available.

Are you having difficulty
With assembly? Missing parts?
Please send email with your order No to
customerservice@hulalahome.com

For return, please check the return policy with the retailer or market place you bought from.

Appreciate your purchasing from us. Pop up your life by our furniture piece!