

Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.



- Children should not climb or jump on the furniture.




- Dust and pick-up spills using a clean, non-colored, lint-free cloth.






Please look in the magic tape pouch for hardware packs and legs.





Sets often ship in multiple boxes and may arrive a day or two apart.

CHAISE LOUNGE








Part List


Label	Picture	Description	QTY
A		Left Armrest	1
B		Right Armrest	1
C		Backrest	1
D		Seat Panel	1
E		Front Seat Frame	1

F		Seat Cushion (Package)	1
G		Back Cushion	1
H		Pillow	2
I		Leg	6

Hardware List

Label	Picture	Description	QTY
①		Bolt (M8*50MM)	13
②		Bolt (M6*20MM)	3
③		Iron Plate	1
④		Allen Wrench(S5)	1
⑤		Allen Wrench(S4)	1

Assembly Preparation

Before Beginning Assembly:	 <p>The diagram illustrates the components and hardware required for assembly preparation. It includes: <ul style="list-style-type: none"> Components A, B, C, D, E, F, G, H, and I, each shown with a perspective drawing. Hardware items 1 through 5, each shown with a small icon and a quantity: 1 (X13), 2 (X3), 3 (X1), 4 (X1), and 5 (X1). Component H is labeled with 'X2'. Component I is labeled with 'X6'. </p>				
----------------------------	--	--	--	--	--



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps



This Chaise Lounge has multiple parts and may require up to 60 minutes to assemble. To give you an overview of the Chaise Lounge parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.


Note: It is recommended that you have an adult partner to assist during the entire assembly process.

Step 1




Pull open the Left Armrest(A) and Right Armrest(B), take out the Backrest(C).

Step 2




Loose the bolt in Left Armrest(A), Backrest(C) , Right Armrest(B) around half inch by Allen Wrench (④) as shown above.

Step 3




Install the Leg(I) on the Left Armrest(A) and Right Armrest(B) using Bolt (①) with the Allen Wrench(④), turning clockwise until tightened.
Repeat the same steps to install remaining Legs(I).

Step 4




Slide the Tapered Connectors on the Backrest(C) into the Tapered Connectors on the Left Armrest(A) until locked as shown in the picture. Repeat the same process with the Right Armrest(B). This step needs two persons to finish.

Step 5




Install the Iron Plate(3) on the Seat Panel(D) by using Bolt (2) with the Allen Wrench(5), turning clockwise until tightened.

Step 6




With the assistance of your partner, lift the rope on the two sides of the Seat Panel (D), put it down between Left Armrest(A) and Right Armrest(B) then make all u-shaped iron sheet stuck bolts as shown.

Step 7




Tighten the Bolts in the bottom of Left Armrest(A) ,Right Armrest(B) and Backrest(C) by Allen Wrench(④) as pictured.
Tighten the Bolts fully in a sequential manner.

Step 8




Install the Leg(I) on the Front Seat Frame(E), by using Bolt (1) with the Allen Wrench (4), turning clockwise until tightened.

Step 9




Insert the metal device on Front Seat Frame(E) into the metal slot on Left Armrest(A) and Right Armrest(B), push down the Front Seat Frame(E) until the Front Seat Frame(E) is fully locked with armrests.

Step 10




Cut the Seat Cushion (Package)(F).It may take up to 72 hours for the Seat Cushion(F) to fully fluff up.

Step 11




Place the Seat Cushion (F) on the Chaise Lounge.

Step 12




Place the Back Cushion (G) on the Chaise Lounge.

Step 13



Place the Pillow (H) on the Chaise Lounge.

Step 14



Your Chaise Lounge is ready for use.
This Chaise Lounge can only be used on a flat, level surface.