# **ASSEMBLY INSTRUCTION**


# **LOVE SEAT**

NOTE: Do not use power tools for assembly. Power tools increase the risk of over tightening which leads to splitting or cracking the wood.


## **COMPONENT LIST (LOVE SEAT)**

NO.	DRAWING	QTY	DESCRIPTION
A		1	SEAT
В		1	LSF SEAT CUSHION
С		1	RSF SEAT CUSHION
D		1	LSF BACK CUSHION
Е		1	RSF BACK CUSHION
F		4	PLASTIC LEGS 3.74"x2.75"x3.14"
G		4	WASHERS 1.85"x0.39"x0.07"
Н		4	PILLOWS 20"x20"


STEP# 1
Turn Plastic Leg (F) and Washers (G) until fully tightened.




STEP# 2 Attach LSF Seat Cushion (B) & RSF Seat Cushion (C) to the Seat (A).



STEP# 3
Attach LSF Back Cushion (D) & RSF Back Cushion (E) to the Seat (A).



STEP# 3 Completed.



### **Care Instruction for Textured Furniture.**

In order to maintain the original appearance of your Textured furniture, please follow below simple care procedures:

- Avoid exposing furniture directly to sunlight or heating and air conditioning outlets. Sunlight and/or exposure to heating and air conditioning outlets will fade/damage Textured.
- Do not place your Textured furniture too close to windows, radiators, or vents.
- Vacuum or wipe with a soft brush to remove dust.
- Hardware may loosen over time. Periodically check to make sure all connection are tight, Re-tighten if necessary.



For items use on wooden floor, hard surfaces or carpets, it is recommended to install protective pads

under all legs and supports to avoid/prevent from damages/scratches and discoloration.


# ASSEMBLY INSTRUCTION SOFA

NOTE: Do not use power tools for assembly. Power tools increase the risk of over tightening which leads to splitting or cracking the wood.


## **COMPONENT LIST (SOFA)**

NO.	DRAWING	QTY	DESCRIPTION
A		1	SEAT
В		1	LSF SEAT CUSHION
С		1	MIDDLE SEAT CUSHION
D		1	RSF SEAT CUSHION
Е		1	LSF BACK CUSHION
F		1	MIDDLE BACK CUSHION
G		1	RSF BACK CUSHION
Н		5	PLASTIC LEGS 3.74"x2.75"x3.14"
I		5	WASHERS 1.85"x0.39"x0.07"
K		4	PILLOWS 20"x20"

STEP# 1 Turn Plastic Leg (H) and Washers (I) until fully tightened.




STEP# 2 Attach LSF Seat Cushion (B), Middle Seat Cushion (C) & RSF Seat Cushion (D) to the Seat (A).




### STEP#3

Attach LSF Back Cushion (E), Middle Back Cushion (F) & RSF Back Cushion (G)



STEP# 3 Completed.



### **Care Instruction for Textured Furniture.**

In order to maintain the original appearance of your Textured furniture, please follow below simple care procedures:

- Avoid exposing furniture directly to sunlight or heating and air conditioning outlets. Sunlight and/or exposure to heating and air conditioning outlets will fade/damage Textured.
- Do not place your Textured furniture too close to windows, radiators, or vents.
- Vacuum or wipe with a soft brush to remove dust.
- Hardware may loosen over time. Periodically check to make sure all connection are tight, Re-tighten if necessary.



For items use on wooden floor, hard surfaces or carpets, it is recommended to install protective pads

under all legs and supports to avoid/prevent from damages/scratches and discoloration.