

# Assembly Instructions

**Caution : You must read this before you proceed**

## Care & Maintenance



- Not for commercial use. For residential use only.



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.




- Children should not climb or jump on the furniture.







- Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in chair for hardware packs and legs.  
Sets often ship in multiple boxes and may arrive a day or two apart.






# Club Chair



## Parts List


Label	Picture	Description	QTY
A		Left-Backrest	1
B		Right-Backrest	1
C		Seat Surface	1
D		Sheet Iron	1

# Hardware

Label	Picture	Description	QTY
①		Bolt M8X60mm	7
②		Bolt M8X20mm	3
③		Spring Washer	7
④		Flat Washer	9
⑤		Allen Wrench	1

## Assembly Preparation

Before  
Beginning  
Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


# Assembly Steps

## Overview




This chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the chair parts, the above picture is provided to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.  
Friendly reminder: Tighten all the screws after all holes are installed.

## Step 1




Take out the Left-Backrest(A) and Right-Backrest(B). There are latches at the bottom of the ends of the backrests. Please insert the left and right latches to close them. Insert A into B as shown

## Step 1.2




After the backrest is assembled, please take out Sheet Iron(D) and align it with the holes. Use Bolt M8X20mm(②) and Flat Washer(④) and tighten it with the Allen Wrench(⑤). The purpose of tightening the iron sheet screw in this step is to strengthen the firmness of the backrest assembly on both sides.

## Step 2




Take out the Seat Surface(C)and move it towards the assembled backrest.


2.1




2.2




⑤  
①  
③  
④



2.3



①  
③  
④  
⑤



**Step2.1**


Open the zipper at the bottom of the seat to reveal the 4 holes inside the seat frame.

**Step2.2**


Match the two holes at the rear end of the seat frame to the holes on the armrest and backrest, then use the Allen Wrench(⑤) locking screws.

**Step2.3**

There are 2 holes on each side of the seat frame, corresponding to the positions of the left and right backrests as shown. Use the Allen Wrench(⑤) locking screws to tighten.

**Step 3**

Zip up the bottom and straighten it



Place the CHAIR right side up and tested for stability before it is ready for use.  
This CHAIR can only be used on a flat, level surface.