### **WARRANTY**

We strive to offer high-quality products, and we also try our best to satisfy each and every customer that orders from us with product or service as needed.


Each customer mustprovide a record of their order such as the order number, or item receipt for any items that are out of the warranty period you may also still receive replacement parts by purchasing themwith our company if they are available.

Are you having difficulty
with assembly? Missing parts?
Please contact us: info@firstopintl.com
telephone No.:5627813327
send email with your order No. to
For return, please check the return policy with
the retailer or market place you bought from.

Appreciate your purchasing from us.

Pop up your life by our furniture!





ITEM NO.: CH0044-ARM CHAIR

#### **NOTE:**

This brochure contains IMPORTANT safty info. Please read and keep for future reference.

## MAINTAINANCE AND WARNING

- Keep furniture away from heat and fire.
- Keep furniture away from sharp objects.
- Do not clean furniture with harsh cleansers or polish. Do not use detergents, Solvents, abrasives, spray packs or leather cleaner. Use non-color mild soap with warm water clean spills(Mix 1:10 soap to water)
- Do not place furniture under direct sunlight, material will possibly fade over time.
- Do not jump or strike on thefurniture.
- Do not write on furniture without a padded barrier to protect the surface.
- Not for commercial use, For residential use only.





## LIST Ax1 Cx1 Bx1 Backrest part Backrest part Backrest part Dx1 Ex1 Fx1 Seat frame Cover of backrest Seat cushion Gx2 Hx1 Ix1 Pillow Pillow Back cushion Jx4

**PARTS** 


Connector

# **ASSEMBLY**INSTRUCTIONS







**STEP1:**Insert the connectors(J) into the holes in the lower part of the backrest part(A/C), noting that the grooved side faces outwards.




**STEP 2:**Insert the assembled backrest part(C) into the holes in the seat frame(D), push hard to connect fully.




**STEP3:**Insert the assembled backrest part(A) into the holes in the seat frame(D),push hard to connect fully.




**STEP 4:**Attach backrest part(B) to backrest part(A/C). Insert both connectors at the same time, push hard to connect fully.




**STEP5:**Attach the cover(E) to the backrest part and velcro it in place. Organise the cover by hand to make it fit beautifully




**STEP6:**Please be careful not to cut the cushion when removing it. Patting with your hands can speed up recovery.



**STEP7:**Place seat cushions on to seat frame.



**STEP8:**Place back cushion(H) and pillow(G/I) on to seat frame.



**STEP9:**Assembly completed.