

Assembly Instructions

Caution : You must read this before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.




- Children should not climb or jump on the furniture.






- Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in chair for hardware packs and legs.
Sets often ship in multiple boxes and may arrive a day or two apart.






CHAIR



Parts List


Label	Picture	Description	QTY
A		Armrest	1
B		Seat	1
C		Leg	3

Hardware

Label	Picture	Description	QTY
①		Bolt M8X40mm	7
②		Bolt M8X25mm	7
③		Spring Washer	7
④		Flat Washer	7
⑤		Allen Wrench	1

Assembly Preparation

Before
Beginning
Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps

Overview




This chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the chair parts, the above picture is provided to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1




Place the Seat(B),and Bolt M8X40mm(①),and Spring Washer(③),and Flat washer(④),and three Legs(C)on a clean, non-marring surface. Before this, please string the Spring Washer(③), and the Flat washer(④) onto the Bolt M8X40mm(①), with the Spring Washer(③) in the middle as shown.

Step 2




Place the bottom of the Seat (A) upwads, then unzip to open, to reveal the screw holes inside the seat frame as shown


2.1



2.2



2.3



Step2.1

Please take out Leg(C) with the nails facing downwards as shown. Align the hole in the middle of the Leg with the hole exposed in the middle of the Seat frame(B). Use the Allen Wrench(⑤), insert the Bolt M8X40mm(①) into the Leg(C) that is already aligned with the hole in the seat frame, and then tighten it with the Allen Wrench(⑤)


Step2.2

Assemble the three Legs in sequence following step2.1


Step2.3

After installing Leg, please pull the zipper at the bottom of the seat back and close the bottom

Step 3



Put the armrest upside down. Please align the assembled foot and seat products, take out armrest (A). Align the holes under the armrest with the holes on the iron plate at the top of the foot, and use a Allen Wrench(⑤) to insert the Bolt M8X25mm(②) into the aligned hole and tighten it.



Place the CHAIR right side up and tested for stability before it is ready for use. This CHAIR can only be used on a flat, level surface.