








Assembly Instructions

Caution : You must read this before you proceed




ROCKING CHAIR



Parts List


Label	Picture	Description	QTY
A		Chair Backrest	1
B		Chair Base Body	1
C		Right Wing	1
D		Left Wing	1
E		Right Leg	1
F		Left Leg	1

Hardware

Label	Picture	Description	QTY
①		Bolt(M8*55MM)	9
②		Bolt(M6*40MM)	3
③		Spring Washer Ring	9


Assembly Steps

OVERVIEW



This ROCKING CHAIR has multiple parts and may require up to some 30 minutes to assemble. To give you an overview of the ROCKING CHAIR parts, the above picture is to help you put the various parts into perspective. Please read through the instructions here below to familiarise yourself with the parts and steps before assembly.


Step 1




Open the Carton and position the Chair Base Body(B) on a clean non-marring surface (Perferrably on a surface that won't scratch the upholstery.)

Remove the Chair Backrest(A) and the Right Wing(C) as shown above.

Step 2




Chair Base Body(B)




Turn the Chair Base Body(B) upside down and remove the Left Wing(D), the Left Leg(F), the Right Leg(E) and the Hardware from the underside of Chair Base Body(B) as shown above.

Step 3




Attach the Left Leg(F) to the Chair Base Body(B), using Bolts(①), Spring Washer Rings(③), Flat washer Rings(④) and the Allen Wrench(⑥), turning clockwise until tight.
Repeat the same step with the Right Leg(E).

Step 4




Position the Chair Backrest(A) on it's left side.
Align the mounting positions of the Left Wing(D) with the left side of the Chair Backrest (A). Then use your hand to slide the Left Wing(D) forward and ensure it locks into position.
Repeat the same process with the Right Wing(C).

Step 5




After step 4, attach the Right Wing(C) to the Chair Backrest(A) using a Bolt(2), Flat Washer Ring(5) and the Allen Wrench(7), Turning clockwise until tight.
Repeat the same process with the Left Wing(D).

Step 6




With assistance from your adult partner, hold up the fully assembled backrest with Wings and stand behind the chair. Insert the small metal arms on the sides of the Chair Backrest(A) into the prefabricated slide lock gadgets on the Chair Base Body(B) as shown above. Firmly but gently, push the Chair Backrest(A) downwards until the Backrest is fully slotted and locked into position.

Step 7



Smooth down the fabric flap on the Chair Backrest. Run your hands down both sides of the flap, from top to bottom, allowing the magic tape to adhere to the flap under the seat of the chair.

Step 8



Your ROCKING CHAIR is ready for use.
This ROCKING CHAIR can only be used on a flat, level surface.

Care & Maintenance



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.




- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Not for commercial use. For residential use only.



- Stains may be removed with mild soap solution and damp cloth.



- Children should not climb or jump on the furniture.



- Dust and pick-up spills using a clean, non-colored, lint-free cloth.