
## **ASSEMBLY INSTRUCTION**

# **ACCENT CHAIR**



Please carefully unpack and identify each component before beginning assembly. Before you begin, please refer to parts list to make sure that you have all parts. Please take care when assembling the unit and always place the parts on a clean, soft surface. If you require assistance with assembly or parts, please call 888-357-7263.

Get social with us and discover more about our products, tips and exclusive discounts!











# PRE-ASSEMBLY PREPARATION

• CAUTION: Assembly will require at least 2 adults. DO NOT use power tools. Please inspect all items BEFORE assembly. If for any reason you need to return this item, please kindly return it in it's original packaging.

#### WARNING!

- 1. DO NOT let any sharp objects touch or rub the surface of the product.
- 2. When assembling, do not let children play around the working area.
- 3. DO NOT tighten all bolts and screws completely until the entire unit has been assembled and set up.
- 4. DO NOT USE if this product become damaged, and/or components are broken or missing.
- CARE AND CLEANING: DO NOT scratch or chip the finish. DO NOT use abrasive chemicals for cleaning. Clean with mild soap on a soft rag. Rinse and dry thoroughly.
- MAINTENANCE: Please periodically check all fittings and re-tighten as necessary.

PARTS LIST			
Back Cushion (A)	Seat Cushion (B)	Left & Right Side Frame (C&D)	Seat Frame(E)
Qty: 1	Qty: 1	Qty: 1	Qty: 1
Arm Rest (F)	Allen Bolt (G) M6x16mm	Allen Bolt (H) M6x20mm	Allen Bolt (I) M6x30mm
Qty: 1	Qty: 4	Qty: 4	Qty: 6
Allen Bolt (J) M8X40mm	Allen Bolt (K) M8X20mm	Allen Wrench(L) M6	
Qty: 2	Qty: 2	Qty: 4	

### STEP-BY-STEP ASSEMBLY


CAREFULLY UNPACK AND IDENTIFY EACH COMPONENT BEFORE BEGINNING ASSEMBLY. BEFORE YOU BEGIN, PLEASE TO PARTS LIST TO MAKE SURE THAT YOU HAVE ALL PARTS.

STEP 1 Attach the Arm Rest(F) to the Side Frame(C&D) by using Allen Bolt (I) and Allen Wrench (L).

Please 80% tighten the bolts.


The Arm Rest are universal.

Please observe the orientation marker at the base of the armrest to distinguish the front and rear.




STEP 2 Attach the Seat Frame(E) to the Seat Cushion(B) by using Allen Bolt (H) and Allen Wrench (L).

Please 80% tighten the bolts.




STEP 3 Attach the Side Frame(C&D) to the Seat Frame(E) by using Allen Bolt (G) and Allen Wrench (L).

Please 80% tighten the bolts.




STEP 4 Attach the Back Cushion(A) to the Seat Cushion(B) by using Allen Bolt(K&J) Allen Wrench (L).

Please 80% tighten the bolts.



STEP 5 Please 100% tighten all Allen Bolts (G,H,I) completely by using Allen Wrench (L) . After initial assembly, the product may acclimate to its new environment. Please ensure all screws are still securely tightened.



# glitzhome®

Glitzhome ,LLC.

Toll free 888-357-7263 customerservice@glitzhome.com