
#### HYMC-005




#### Notice:

- 1. Follow the installation instructions. Please confirm all accessories are preset before installation.
- 2. Do not fully tighten the screws during initial assembly. Fully tighten screws only once all pieces which are correctly assembled.
- 3. If you encounter any problems during installation, please contact our customer service.
- 4. Please unbox the item from the side with an open-label and put a carpet on the floor to avoid scratching it.



**Recommended installers:2** 



Put a carpet on the floor before unpacking



Estimate installation time: 60minutes

# **PART LIST**


Item no.	Reference Image	Qty	Item no.	Reference Image	Qty
A		X1	J		X4
B		X1	K		X1
<u>C</u>		X1	L		X1
D		X1	M		X1
E		X1	<b>N</b>		X1
F		X1	0		X1
<b>G</b>		X1	<b>(P</b> )		X1
(H)		X2	Q		X1
		X1			


## HARDWARE LIST


Item no.	Reference Image	Qty
0	Ø1/4"x2"	X8
2		X8
3		X8
4		X20+2
5		X20+2
6		X20+2
7		X8
8		X4
9	Ø6.5xØ3x14 mm	X24+2
10	Ø6.5xØ3x15 mm	X24+2


Item no.	Reference Image	Qty
1	Ø7xØ3.5x30 mm	X8
12		X1

The following tools are needed.
But not included.


















**4** 4pc

**5** 4pc

6 4pc
















**C** 1pc


**D** 1pc


4 4pc

**5** 4pc


**6** 4pc



























UP AND DOWN
Use screws to adjust the gaps at the top and bottom of door.




#### **FRONT VIEW**



LEFT AND RIGHT Use screw to adjust the gaps at left and right of the door.



#### **TOP VIEW**



IN AND OUT
Use screw to move the door in or out.

