# **Assembly Instructions**

### Caution: You must read this before you proceed

### Care & Maintenance



Not for commercial use. For residential use only.



 Furniture may scratch floors. We recommend using furniture pads to protect your floors.



• Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



• Do not place furniture under direct sunlight.



Do not place furniture near heating or cooling vents.



 Do not write on furniture without a padded barrier to protect the surface.



Do not place furniture outside . For indoor use only.





 Stains may be removed with mild soap solution and damp cloth.





Children should not climb or jump on the furniture.




 Dust and pick-up spills using a clean, non-colored, lint-free cloth.

# Cody Lounge Chair

Parts List			
Label	Picture	Description	QTY
А		Chair Seat	1
В		Sofa Leg-Left	1
С		Sofa Leg-Right	1
Hardware			
Label	Picture	Description	QTY
1)		Allen Key M5 (Long Ball Head)	1
2	(a)	Bolt (M8*70mm)	3
3	(e)	Bolt (M8*40mm)	5
4		Felt Pad	5

### Assembly Preparation

### Before Beginning Assembly:





Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-

## Assembly Steps




This Cody Lounge Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Cody Lounge Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly

# Step 1




Align and Paste Feft Pad (4) to Sofa Leg Left & Right (B&C)

# Step 2



Place the Sofa Leg Left(B) to Chair Seat(A) With Hardware Bolts(2) + Bolts(3) and Using the Allen Key M5(1) as shown in picture.



Place the Sofa Leg Right(C) to Chair Seat(A) With Hardware Bolts(2) + Bolts(3) and Using the Allen Key M5(1) as shown in picture.

