Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



Not for commercial use. For residential use only.



• Furniture may scratch floors. We recommend using furniture pads to protect your floors.



Do not put hot items directly on furniture surface.



• Do not clean furniture with harsh cleansers or polish.



Do not place furniture under direct sunlight.



Do not place furniture near heating or cooling vents.



 Do not write on furniture without a padded barrier to protect the surface.



• Do not place furniture outside . For indoor use only.



 Stains may be removed with mild soap solution and damp cloth.



• Children should not climb or jump on the furniture.



 Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in carton for hardware packs and legs.

Sets often ship in multiple boxes and may arrive a day or two apart.

Chair




Parts List				
Label	Picture	Description	QTY	
А		Right Arm	1	
В		Left Arm	1	
С	0	Stretcher	2	
D		Seat Cushion	1	
E		Back Cushion	1	

<u>Hardware</u>				
Label	Picture	Description	QTY	
1		Full Thread Screw Ø5/16"x2-3/4"	5	
2		Wood Dowel Ø8 x 30mm	9	
3		Half Moon Washer 28 x 15 x 6.5mm	5	
4		Nut Ø5/16"	5	
5		Bolt Ø1/4" x 2"	9	
6		Spring Washer Ø1/4"	9	
7		Flat Washer Ø1/4"*16mm*1.5	5	
8		Flat Washer Ø1/4"*12mm*1.5	5	
9	9	Lunar Gasket Ø14*8mm	5	
10	2	Open wrench L95mm*T2.8mm, open-endØ12mm	1	
11)		Allen Wrench 4.0×21×57	1	

Assembly Preparation

Before Beginnin g Assembly





Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-



Save all packaging until finished-


Assembly Steps

Overview




This Chair has multiple parts and may require up to some 30 minutes to assemble. To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1




Install the Full Thread Screw (1) and Wood Dowel (2) on the Right Arm (A), as pictured above.

Step 2




Install the Full Thread Screw (1) and Wood Dowel (2) on the Left Arm (B) ,as pictured above.

Step 3




Attached Stretcher (C) to Right Arm (A) by using the Half Moon Washer (③) ,Nut (④) and Open wrench (⑩) as pictured above.

Step 4




- 1.1 Attached Stretcher (C) to Left Arm (B) by using the Half Moon Washer (3), Nut (4) and Open wrench (10) as pictured above.
- 1.2 Attached Seat Cushion (D) to Right Arm (A) by using the Bolt (5) ,Spring Washer (6), Flat Washer(7) and Allen Wrench (11) as pictured above.

Step 5




Attached Back Cushion (E) to Left Arm (B) by using the Bolt (5), Spring Washer (6), Flat Washer(8) and Allen Wrench (11) as pictured above.

Step 6



- 1.1 Attached Back Cushion (E) to Right Arm (A) by using the Bolt (5) ,Spring Washer (6), Flat Washer(8) and Allen Wrench (11) as pictured above.
- 1.2 Attached Seat Cushion (D) to Left Arm (B) by using the Bolt (5) ,Spring Washer (6),Flat Washer(7) and Allen Wrench (11) as pictured above.

Step 7



Install the Lunar Gasket (9) on the Right Arm (A) and Left Arm (B), as pictured above.

Step 8



Your Chair is ready for use.

This Chair can only be used on a flat, level surface.