
# **ASSEMBLY INSTRUCTIONS**


#### 36" COUNTER HEIGHT TABLE






This page lists all the contents included in the box. Please take the time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.


Place Top (A) on a smooth floor. Attach Leg (B) to Top (A) using Bolt (E), Spring Washer (F) and Flat Washer (G) with Allen Wrench (H). Do not fully tighten the bolts at this step.



2 Attach Connecting Ring (C) to Leg (B) using Bolt (D), Spring Washer (F) and Flat Washer (G) with Allen Wrench (H). Fully tighten all the bolts at this step.



3 Stand the table up. If the table wobbles slightly, adjust the pre-installed levelers on the bottom of Leg (B) until the table is stabilized.




Adjust the height of the pre-installed levelers to achieve balance.

#### Cleaning & Care

Treat surfaces with care. Surfaces are resistant to scratches but are not scratch resistant. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.

# **ASSEMBLY INSTRUCTIONS**


### SWIVEL COUNTER HEIGHT CHAIR SWIVEL BAR HEIGHT CHAIR






This page lists all the contents included in the box. Please take the time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.

Put Lower Leg (A) into the groove of Upper Leg (B). Then attach Bottom Ring (C) to Lower & Upper Leg (A & B) using Bolt (G), Spring Washer (H) and Flat Washer (I) with Allen Wrench (J).




2 Stand the chair base up. Attach Back with Swivel Plate (D) to Lower & Upper Leg (A & B) using Bolt (F), Spring Washer (H) and Flat Washer (I) with Allen Wrench (J).



Stand the chair on an even surface and check for balance. If the chair wobbles slightly, apply downward pressure on the uneven leg and tighten the bolts to correct the imbalance. Once the chair is balanced, apply downward pressure evenly in the center of the chair and tighten all bolts, being careful not to over-tighten beyond the hole depth.

3 Attach Seat Cushion (E) to Back with Swivel Plate (D) using Screw (K) with a screwdriver (not provided).

Helpful Tip: While tightening the bolts from underneath, have someone sit in the chair.



## Cleaning & Care

Treat surfaces with care. Surfaces are resistant to scratches but are not scratch resistant. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.