ASSEMBLY INSTRUCTION Weight Limits 250 lbs Weight Limits 350 lbs **Weight Limits** 250 lbs

Attention: Please don't tighten the screws completely and go back later for final tightening of all the screws after pieces are aligned with each other. If the screws are tightened initially, subsequent hole positions may be misaligned.

If you have product questions, you may contact manufacturer at: lizevinchelp@outlook.com

BUNK BED & TRUNDLE ASSEMBLY INSTRUCTIONS



SAFETY WARNING



- 1. Follow the information on the warnings on the bunk bed end structure and on the carton. Do not remove the warning label from the bed.
- 2. Always use the recommended size mattress on mattress support, or both, to help prevent the likelihood of entrapment or falls.
- 3. Do not allow children under 6 years of age to use the upper bunk.
- 4. Periodically check and ensure the guardrail, ladder and other components are in their proper position, free from damage, and all connectors are tight.
- 5. Do not allow horseplay on or under beds.
- 6. Always prohibit jumping on the bed.
- 7. Prohibit more than one person on upper bunk.
- 8. Always use the ladder for entering and leaving the upper bunk.
- 9. Do not use substitute parts. Contact the manufacturer or dealer for replacement parts.
- 10. Use of a night-tight may provide added safely precaution for a child using the upper bunk.
- 11. Always use guardrails on both long sides of the upper bunk.
- 12. If the bunk bed will be placed next to a wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall.
- 13. The use of water or sleep flotation mattresses is prohibited.

STRANGULATION HAZARD-Never attach or hang items to any part of the bunk bed that are not

designed for use with the bed.

- 14. Keep these instructions for future reference.
- 15. We recommend assembling your bunk bed on the shipping carton to protect your floor or carpet.
- 16. Be certain all staples are out of the box before beginning assembly on the shipping carton.
- 17. USE ONLY MATTRESSES WHICH ARE AS THE TABLE BELOW ON UPPER AND ON LOWER BUNKS.

Down bed

Bed type Length Width Thickness Full Standard 74" - 75" 53 ½" 8" max


Up bed (bunk bed and tribed included)


Bed type Length Width Thickness Twin Standard 74" - 75" 38 ½" 6" max


18. SURFACE OF MATTRESS MUST BE AT LEAST 5" (127MM) BELOW THE UPPER EDGE OF GUARDRAILS.

19. Replacement Parts:


Replacement Parts, including additional guardrails, may be obtained from any of our dealers







page 5/10



page 6/10

