


ASSEMBLY INSTRUCTION

RECLINERS



Please carefully unpack and identify each component before beginning assembly. Before you begin, please refer to parts list to make sure that you have all parts. Please take care when assembling the unit and always place the parts on a clean, soft surface. If you require assistance with assembly or parts, please call 888-357-7263.




Get social with us and discover more about our products, tips and exclusive discounts!





PRE-ASSEMBLY PREPARATION

- **CAUTION:** Assembly will require at least 2 adults. DO NOT use power tools. Please inspect all items BEFORE assembly. If for any reason you need to return this item, please kindly return it in it's original packaging.
- **WARNING!**
 1. DO NOT let any sharp objects touch or rub the surface of the product.
 2. When assembling, do not let children play around the working area.
 3. DO NOT tighten all bolts and screws completely until the entire unit has been assembled and set up.
 4. DO NOT USE if this product become damaged, and/or components are broken or missing.
- **CARE AND CLEANING:** DO NOT scratch or chip the finish. DO NOT use abrasive chemicals for cleaning. Clean with mild soap on a soft rag. Rinse and dry thoroughly.
- **MAINTENANCE:** Please periodically check all fittings and re-tighten as necessary.

PARTS LIST

Back Cushion(A)  Qty: 1	Chair Body(B)  Qty: 1	Leg(C)  Qty: 4	
--	--	--	--

HARDWARE LIST


Allen Bolt(D)  Qty: 4	Allen Wrench(E)  Qty: 1		
--	--	--	--

STEP-BY-STEP ASSEMBLY

PLEASE CAREFULLY UNPACK AND IDENTIFY EACH COMPONENT BEFORE BEGINNING ASSEMBLY. BEFORE YOU BEGIN, PLEASE REFER TO PARTS LIST TO MAKE SURE THAT YOU HAVE ALL PARTS.


STEP 1

Screw the legs (C) tightly at the bottom of the Chair Body (B)
Making sure the holes in the leg metal plates align with the holes in the bottom of the cushion.
Then better secure the legs (C) to the Chair Body (B) by using Allen Bolt (D) and Allen Wrench (E).




STEP 2

Insert the Back Cushion (A) into the Chair Body's (B) side metal plates.



STEP 3 After initial assembly, the product may acclimate to its new environment. Please ensure all screws are still securely tightened.

***Tips: By gently applying pressure backward with your back, you can adjust the backrest to three different tilt angles to find the most suitable position for you.**



glitzhome[®]

Glitzhome ,LLC.

Toll free 888-357-7263

customerservice@glitzhome.com