
Assembly Instructions

ROCKING CHAIR

CAUTION: You must read this before you proceed.

Please look in the Arm Panel for hardware packs



CAUTION: This Rocking Chair is NOT a TOY.

Keep your child / children at bay in the process of assembly. For turning the Rocking Chair and to prevent damage to the Rocking Chair, 02 persons may be needed to execute this action.

Parts List				
No.	Picture	Description	Qty	
А		Left Arm Panel	1	
В		Right Arm Panel	1	
С		Seat panel	1	
D		Backrest Panel	1	
Е		Seat Cushion	1	


Hardware

Chair Hardware

No.	Picture	Description	Qty
1	(m)	Long Screws M6 x 80 mm	5
2		Short Screws M6 x 70mm	5
(3)		Allen Wrench	1

Assembly Preparation

Before Beginning Assembly:





 \boxtimes Read instructions, cover to cover.



☐ Have 2 adults on hand for assembly.






☐ Assemble on a clean non-marring surface (packing foam).




x5

x5

x1




This Rocking Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Rocking Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions herebelow to familiarise the parts and steps before assembly.



Assembly Steps


Step 2



Position Seat Panel (C) and Right Arm Panel (B) as shown in picture above.

Then affix Right Arm Panel (B) with Seat Panel (C) by using Long Screws (1) and Allen Wrench (3). **DO NOT FULLY TIGHTEN SCREWS**.

Note: the curve side is the front side




Then continue position Backrest Panel (D) as shown in picture above.

Align the wooden dowel into the positions in the arms.

Then, affix Right Leg Panel (B) with Backrest Panel (D) by using Short Screws (2) and Allen Wrench (3)

DO NOT FULLY TIGHTEN SCREWS.

Assembly Steps



With the help from your partner, turn the Rocking Chair to rest on Right Arm Panel (B) so that Left Arm Panel (A) is now facing skywards.

Repeat the same process by affixing Long Screws (1), Short Screws (2) to designated points. **DO NOT FULLY TIGHTEN SCREWS.**

Assembly Steps





Turn the Rocking Chair right side up.

Place the Rocking Chair on a LEVEL SURFACE.

Inspect it and make sure all parts are adequately connected.

Gently and gracefully, sit into to the Rocking Chair.

This would help to align all the parts at all the joint areas.

Then get off the Rocking Chair, and in a sequential manner, proceed to tighten all screws. To tighten the Screws at the base of the Backrest, do secure assistance from your adult partner(s).


You may be required to turn the Rocking Chair, to gain easy access to the secure points. Turn the Rocking Chair in a synchronised manner.

CAUTION: When tightening these screws, tighten sequentially.

DO NOT tighten any screw fully and then towards the next one.

This would cause the frame to warp.

If there is still wobbles, loosen the screws and execute this same process. WARNING!! IF ROCKING CHAIR IS NOT STABLE, IT COULD LEAD TO DAMAGING THE PRODUCT.



This is the final stage.


Ensure that all screws are fully and securely tightened into wood.

Place the Seat Cushion (E) using the Magic Tape Straps, as shown in diagram.

This Rocking chair is ready for use.

Caution: This Rocking Chair can only be used on a flat, level surface.

Care & Maintenance



✓ ☼ To obtain the longest lifespan of your outdoor products, minimizing exposure to direct sunlight is recommended.

Do not write on furniture without a padded barrier to protect the surface.

To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.

Not for commercial use. For residential use only

Stains may be removed with mild soap soution and damp cloth.

Dust and pick-up spills using a clean, non-colored, lint-free cloth.