


ASSEMBLY INSTRUCTION

N723P189877



Sets often ship in multiple boxes and delivery date may vary.

CUSTOMER SERVICE

Questions, Missing parts, Assembly help?

No need to return the product, we will gladly help and ship your replacement parts free of charge.

PRE-ASSEMBLY INFORMATION

Please read this manual carefully before beginning assembly of this product. Keep this manual for future reference.

NOTICE

1. Please assemble it AFTER all boxes are received.
2. Please do not throw away any of the packages or the instruction until the sofa is fully assembled.
3. Please keep children away from the plastic bags or any small pieces of stuff.
4. Some key parts of our product may be stored and hidden inside of other parts. Please open any zippered or hook & loop storage compartments to take out all parts.
5. Please do not open the compressed packages until your sofa frame is completely assembled.
6. As the cushions are all vacuum compressed, there will be some wrinkles. Please give them up to 72 hours to reach its original size and the wrinkles will basically disappear.
7. DO NOT INSTALL THE SCREWS ALL THE WAY IN THE BEGINNING. Place each screw into their proper hole and use your hand to twist the screw halfway. Twist all the screws in halfway to ensure the holes will match up properly and the product is level on the ground. When everything seems fitted, then tighten the screws.
8. Do not over tighten screws and bolts to avoid stripping.



2 adults recommended




Takes about 1.5 Hours to assemble



Weight capacity of each seat: 330LBS


COMPONENTS



HARDWARE			
NO	EESCRPTION	SKETCH	QTY
I	Screws 6*35		12
J	Washer		12
M	Wrench		1


COMPONENTS

N723P189877




ASSEMBLY STEPS

STEP1 Take out all the parts stored or hidden inside.




STEP2 Connect Seat frame(F) and Backrest(G) with Screws(I) and Washers(J) by Wrench(M).




NO	EESCRPTION	SKETCH	QTY
I	Screws 6*35		4
J	Washer		4
M	Wrench		1

STEP3 Connect Seat frame(F) and Left armererest(A) with Screws(I) and Washers(J) by Wrench(M).




NO	EESCRPTION	SKETCH	QTY
I	Screws 6*35		4
J	Washer		4
M	Wrench		1

STEP4 Connect Seat frame(F) and Right armrest(B) with Screws(I) and Washers(J) by Wrench(M).





STEP5 Assemble the legs(N) on the seat frame (F) with the Gaskets(O).



STEP 6

Open the vacuum bag and take the cushions(C/E),Pillows(D)
To restore the original shape,follow the steps bellow.



After packing up, place them in somewhere dry and venslated. After about 72-96 hours. It can be restored to the best use condition.

STEP 7

Put cushions (C/E) and Pillows(D) on the sofa.

