Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



• Not for commercial use. For residential use only.



 Furniture may scratch floors. We recommend using furniture pads to protect your floors.



• Do not put hot items directly on furniture surface.



• Do not clean furniture with harsh cleansers or polish.



• Do not place furniture under direct sunlight.



• Do not place furniture near heating or cooling vents.



 Do not write on furniture without a padded barrier to protect the surface.



Do not place furniture outside . For indoor use only.



 Stains may be removed with mild soap solution and damp cloth.



• Children should not climb or jump on the furniture.




 Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in Leg for hardware pack.

Sets often ship in multiple boxes and may arrive a day or two apart.

CHAIR




Parts List				
Label	Picture	Description	QTY	
А		Back	1	
В		Seat	1	
С		backrest wooden frame	1	
D		base wooden frame	1	
Е	right	Right armrest	1	
E-1	left	Left armrest	1	
F	Front	Left Front	1	
F-1	Front Right	Right Front	1	
G	Bask	Left Back	1	
G-1	Back Roght	Right Back	1	

Hardware				
Label	Picture	Description	QTY	
1		Bolt (M8×60MM)	7	
2	(Bolt (M8x40MM)	3	
3	(шиший пира	Bolt (M6×20MM)	13	
4	0	Washer (M6)	9	
(5)		Allen Wrench (M6)	1	
6		Spring Washer (M6)	9	

Assembly Preparation

Before
Beginning
Assembly:





· Read instructions, cover to cover-



· Have 2 adults on hand for assembly-



• Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-



Save all packaging until finished-


Assembly Steps

Overview




This Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1




Unpack and place all the Parts and Hardware on a clean, non-marring surface.

Step 2




Attach the Armrests(E+E-1) into the mounting positions of the base seat wooden frame(D) using Bolts $\widehat{\ \ }$, Spring Washer $\widehat{\ \ }$ and Washer $\widehat{\ \ }$ with Allen Wrench $\widehat{\ \ }$. Fully tighten the bolts.

Step 3




Attach the Backrest wooden frame(C) into the mounting positions of the Armrest wooden frames(E+E-1),using Bolts①,Spring Washer⑥ and Washer④ with Allen Wrench⑤.Fully tighten the bolts.

Step 4



- 1. Attach the Backrest wooden frame(C) into the mounting positions of the Base seat wooden frame(D), using Bolts②, Spring Washer⑥ and Washer④ with Allen Wrench⑤, Fully tighten the bolts
- 2. Attach the front left foot(F), the front right foot(F-1), the back left foot(G), the back right foot(G-1) into the mounting positions of the Base seat wooden frame(D), using Bolts③ with Allen Wrench⑤. Fully tighten the bolts.

Step 5



Check for stability and then tighten all the remaining bolts.DO NOT fully tighten a bolt in one go and then move on to the next. Rather, in asequential manner, gradually tighten each bolt until all bolts are evenlysecured. This methodology will ensure maximum evenness once all bolts are fullytightened. Your Chair is ready for use. Caution: This chair can only be used on a flat, level surface.

The bottom of each foot is installed with adjusting foot nails, which can be adjusted to the height you want according to the height of the ground, which is very convenient.