Aluminum Chaise Lounge

ASSEMBLY INSTRUCTIONS

OE04-9046L




BEFORE ASSEMBLY:

- Please read these instructions carefully before starting assembly. We suggest you carry out the assembly on a soft surface like a carpet, so as to avoid scratching the paint. Keep children away during assembly. This item contains small parts which can be swallowed by children.
- This product was made for the explicit purpose of providing outdoor function and is not to be used as a toy. This product is for residential use only. This product is NOT intended for commercial use; unintended use will void the warranty.
- This product is not intended for use during inclement or severe weather, that includes but is not limited to rain, hail, sleet, snow, wind, freezing conditions and extreme heat.
- Please note because of the nature of cast metal, you may find roughness on the surface which enhances the beauty of the product and is not a defect.
- Aluminum is soft metal, please do not use power tools, and over tighten may strip threads or break the parts.
- When not in use, store and/or cover the product in a cool dry location. Do not locate the product near any sort of high heat. Do not use the product as a support.
- Children under the age of 10, who are near the product, should be supervised by a competent adult at all times.
- Do not discard any of packaging until you finish the assembly. Keep the assembly instructions for future reference or warranty.


Hardware parts for each rX2 $D \times 2$ $A \times 2$ $B \times 1$ Bolt(35MM) Bolt(51MM) Washer Plastic Washer EX3FX1 Bolt Cap Allen Wrench Parts list GX1 $H \times 1$ $I \times 1$ Back Panel Seat Cushion

Step 1: Place all the parts on a clean and soft surface, identify all the parts and hardware kits against parts list. Turn the recliner upside down as Fig(1). Assemble **Seat(H)** and **Back Panel(G)**.




2

Step 2:Install hardware parts(**D,C,A**) and recliner in order displayed as Fig(2). Connect the **Back Panel(G)** to the **Seat(H)** use **Allen Wrench(F)**.




3

Step 3: Adjust the **Seat(H)** and **Back Panel(G)** to the appropriate Angle .Install hardware parts(**B**) in order displayed as Fig(3) and connect the gas rod to the backrest use **Allen Wrench(F)**.



4


Step 4: Do not over tighten bolts, it will cause the damage of product without warranty; If your chaise lounge is not stable, double check your assembly procedure or loosen some bolts and tighten them again. Put the **Bolt Cap(E)** on the bolt. After assembly, tie the **Cushion(I)**. Your chaise lounge should be ready to use.



Square End Table

ASSEMBLY INSTRUCTIONS

OE04-9046ET




BEFORE ASSEMBLY:

- Please read these instructions carefully before starting assembly. We suggest you carry out the assembly on a soft surface like a carpet, so as to avoid scratching the paint. Keep children away during assembly. This item contains small parts which can be swallowed by children.
- This product was made for the explicit purpose of providing outdoor function and is not to be used as a toy. This product is for residential use only. This product is NOT intended for commercial use; unintended use will void the warranty.
- This product is not intended for use during inclement or severe weather, that includes but is not limited to rain, hail, sleet, snow, wind, freezing conditions and extreme heat.
- Please note because of the nature of cast metal, you may find roughness on the surface which enhances the beauty of the product and is not a defect.
- Aluminum is soft metal, please do not use power tools, and over tighten may strip threads or break the parts.
- When not in use, store and/or cover the product in a cool dry location. Do not locate the product near any sort of high heat. Do not use the product as a support.
- Children under the age of 10, who are near the product, should be supervised by a competent adult at all times.
- Do not discard any of packaging until you finish the assembly. Keep the assembly instructions for future reference or warranty.

Hardware parts for each $A \times 4$ $B \times 4$ $C \times 4$ DX1 T-Wrench Washer Nut Rod $F \times 4$ Foot Pad Parts list $G \times 4$ FX1 Table Leg Table Top

Step 1: Place all the parts on a clean and soft surface, identify all the parts and hardware kits against parts list. ;Assemble **Table Top(F)** and **Rod (A)** with **T-Wrench(D)**. Tighten all the bolts with **T-Wrench(D)**.




2

Step 2:Install Table Legs(G) and Rod (A) in order displayed as Fig(2). Align the Table Leg(G) with the top latch and pass through the Rod(A).

3

Step 3: Install hardware parts(**C,B,E**) in order displayed as Fig(3). Tighten the hardware parts(**C,B,E**) to the end of the connecting rod and ensure that the link is intact.



Step 4: Do not over tighten bolts, it will cause the damage of product without warranty; Your table should be ready for use. If your table is not stable, double check your assembly procedure or loosen some bolts and tighten them again.

