
# ASSEMBLY INSTRUCTION

ITME: N845P261801



- 1. Thank you for choosing our products.
- 2. Return Policy



DO NOT RETURN TO THE STORE! Skip the process of returning your product and contact us directly for a replacement

If you find that parts of your order are missing or damaged, we will gladly ship any needed replacement parts free of charge.

If your product's quality does not meet your expectations or you have found any sort of defect, please contact our customer service department and let us know the details of your order and any issues encountered, we will try our best to provide you with a solution. Feel free to also directly contact our manufacturer concerning needed replacement parts and they will be happy to help provide you with a solution or answer any questions you may have.

Recommendations Before Beginning Assembly

- Read instructions, cover to cover
- ♦ ♦ Have 2-4 adults on hand for assembly depending on product size
- Do not assemble directly on flooring or carpet
- Assemble on a clean non-marring surface (example: packing foam)
- Save all packaging until finished
- 3. Assembly Notice:
  - If you encounter any problems during assembly and find that you cannot continue, rest
    assured we will help you solve the situation as soon as possible. Simply keep all of the
    parts of the product stored in a safe place and contact us immediately so we may assist
    you further.
  - Once you have opened your package, remove all inner hardware packages and take the
    parts out. One by one, Place the parts out neatly in front of you, then refer to the
    instructions to ensure no parts are missing. If any pieces are found missing, please
    carefully look in the box first, as the hardware packaging might have torn making the
    hardware spill in the box.
  - Some key parts of your product may be stored and hidden inside of other parts. Please open any zippered or hook & loop storage compartments to remove all parts. (example: cushions and legs being stored in the underside of a sofa)
  - IMPORTANT: When setting up your product, DO NOT INSTALL THE SCREWS ALL THE WAY IN THE BEGINNING. Place each screw into their proper hole and use your hand to twist the screw halfway. Twist all the screws in halfway to ensure the holes will match up properly and the product is level on the ground. When everything seems fitted, then tighten the screws.


 When you have completed assembly, we suggest you have more than one person to assist you with lifting and placing the product.


### Care & Maintenance

- Do not put hot items directly on furniture surface
- Do not clean furniture with harsh cleansers or polish
- O O Do not place furniture under direct sunlight
- Do not place furniture near heating or cooling vents
- Do not write on furniture without a padded barrier to protect the surface
- Do not place furniture outside. For indoor use only
- Not for commercial use. For residential use only
- Stains may be removed with mild soap solution and damp cloth
- ✓ Dust and pick-up spills using a clean, non-colored, lint-free cloth

### Caution

•This product contains small components. Please ensure that they are kept away from small children.





	BOX1:N84	45P261801	
① x1pc	② x1pc	3 x1pc	④ x1pc
⑤ x1pc	⑥ x1pc	⑦ xlpc	® x1pc
9 x3pcs	@ x1pc	① xlpc	② x2pcs
① x2pcs	⊕ x2pcs	⊕ x2pcs	⊕ x2pcs
			=
① xlpc	® x3pcs	(9 x3pcs	20 x4pcs
② x1pc			
	5/	29	
		<u> </u>	


# Hardware List for N845P261801


M3. 5*14mm	M4*40mm		M6*40mm	<b>ø</b> 12 <b>*</b> 12mm
A x80pcs	© x8pcs	① x6pcs	① x46pcs	① x46pcs
Ø6*30mm	8in		150CM	120CM
© x16pcs	① x2pcs	① x16pcs	① xlpc	② x1pc
			M6*35mm	M6*10mm
® x4pcs	① x16pcs	∭ x1pc	® x6pcs	① x16pcs
M4		M4 * 16	H125mm	
® x1pc	© x4pcs	®x8pcs	\$ x4pcs	①x54pcs


Note: One 5V 2A USB Type A charger required to power the LED light strip.(Not Included)

N845P261801

M3. 5*14mm	M4*30mm	30mm	
A x2pcs	® x2pcs	① x2pcs	①x2pcs







PRE-FIXDRAWER RUNNERINSTRUCTIONS


NOTE-1: Pull inner and outer drawer runners apart before fixing them to panels.




NOTE-2: Slide drawer runners apart until the drawer lock can be seen, as shown.





NOTE-3 Press and hold the drawer runner lock and then continue to slide drawer runners apart, as shown.





NOTE-4: Your inner and outer drawer runners are ready to be fixed to panels.


















Note: One 5V 2A USB Type A charger required to power the LED light strip.(Not Included)



# Step 13 17/29








### Sideways / Tilt adjustment

Turn the screw


clockwise to move the door further away from
the side of the cabinet
anticlockwise to move the door closer to the
side of the cabinet



# 2 4 Height adjustment

While supporting the weight of the door, turn the screws

clockwise to move the door up




### Forward and back adjustment

If the gap between the back of the door and the cabinet is too small, and the door may not close fully. Turn the screw

clockwise to decrease the gap between the door and the cabinet

anticlockwise to increase the gap between the door and the cabinet










A x16pcs ①x16pcs




Note: One 5V 2A USB Type A charger required to power the LED light strip.(Not Included)










# Step 20



@x54pcs



After installing the product, stick the number  ${\bf Q}$  on the perforated position



# Certificate of Conformity

Certificate No. : HTT202311076E

Applicant : Shenzhen Jiangyong Lighting Co., Ltd.

Applicant . Room 207, Building C, No. 168, Cenxia Roadm Fenghuang Address . Community, Fuyong Street, Baoan District, Shenzhen.

Manufacturer : Shenzhen Jiangyong Lighting Co., Ltd.

Manufacturer
Address
Room 207, Building C, No. 168, Cenxia Roadm Fenghuang
Community, Fuyong Street, Baoan District, Shenzhen.

Product : LED light strip suit

Model No. : 2835
Trademark : N/A

The above products have been tested by us with listed standards and found in compliance with the council EMC 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with the EMC directive.

Test standards:	Report(s) Number	Issued By	Issued Date
EN IEC 55015: 2019+A11:2020			
EN IEC 61547:2023	HTT202311076ER	нт	Nov.08.2023
EN IEC 61000-3-2: 2019 +A1:2021	H11202311076ER	nii.	1404.06,2023
EN 61000-3-3:2013+A2:2021+AC:2022			

This certificate of conformity is not transferable and based on an evaluation of a sample of the above mentioned product.

CE

Authorised Signatory:

Kevin Yang Senior Manager

Date:

Nov.08,2023

Shenzhen HTT Technology Co.,Ltd. Web: www.httprc.com



Thank you for giving UL the opportunity to partner with you.

Please note, Follow-Up Procedure Revisions or Report Revisions do not include Authorization Pages, Indices, Section General, and/or Appendices unless revisions were required or requested.

Should you have any questions, after reviewing the material, or need to report any inaccuracies, please reach out to your UL representative or find UL contact details for your local Customer Service Department at <a href="https://www.ul.com/about/locations">https://www.ul.com/about/locations</a>.

Please find attached the related material

For your convenience, the below describes the related updates:

Resend coc

E510694-20191031-CertificateofCompliance

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Times change, Trust Remains™

Certificate Number UL-CA-L510694-41-13019102-0

Report Reference E510694-20191031

Date 17-Jan-2022

Issued to: Shenzhen Quanzhengtong Technology Co Ltd

402.NO.102, Zhangbei Avenue, Zhangbei Community Longcheng Street, Longgang District Shenzhen,

Guangdong 518112

China

This is to certify that FKSZ7 - Lightrepresentative samples of See Addendum

FKSZ7 - Light-emitting-diode Drivers Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CAN/CSA C22.2 No. 250.13-17, Edition, 3dr, Revision Date

2017-10-01

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

ULLLLO

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licenses of UL. For questions, pleas contact a local UL Customer Service Representative at <a href="http://ul.com/abouts/flocations/">http://ul.com/abouts/flocations/</a>



Certificate Number UL-CA-L510694-41-13019102-0 Report Reference E510694-20191031

Date 17-Jan-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
QZT-XXXYYYY, XXX are 3 digit number, in the step of 1, represents output voltage which does not exceed max. voltage, for example, 240 represents 24V,	LED Drivers
YYYY are 4 digit number, in the step of 1, represents output current which does not exceed max. current, for example, 2000 represents 2A,	

Barney

Bruce Mahrenholz, Director North American Certification Program

ULLLO

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licenses of UL. For questions, please contact a local UL Customer Service Representative at <a href="https://documentation.org/licenses/action-provided-prov



Certificate Number UL-US-L510694-11-13019102-0

Report Reference E510694-20191031

Date 17-Jan-2022

Issued to: Shenzhen Quanzhengtong Technology Co Ltd

402.NO.102, Zhangbei Avenue, Zhangbei Community Longcheng Street, Longgang District Shenzhen,

Guangdong 518112

China

This is to certify that FKSZ - I

FKSZ - Light-emitting-diode Drivers

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 8750, Edition, 2nd Revision Date 2019-10-11

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

ULLLLO

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licenses of UL. For questions, pleas contact a local UL Customer Service Representative at <a href="http://ul.com/abouts/flocations/">http://ul.com/abouts/flocations/</a>



Certificate Number UL-US-L510694-11-13019102-0 Report Reference E510694-20191031

> Date 17-Jan-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
QZT-XXXYYYY, XXX are 3 digit number, in the step of 1, represents output voltage which does not exceed max. voltage, for example, 240 represents 24V,	LED Drivers
YYYY are 4 digit number, in the step of 1, represents output current which does not exceed max. current, for example, 2000 represents 2A,	

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licenses of UL. For questions, please contact a local UL Customer Service Representative at <a href="https://documentation.org/licenses/action-provided-prov

