## **Assembly Instructions**

Caution: You must read this before you proceed

#### Care & Maintenance



• Not for commercial use. For residential use only.



• Do not put hot items directly on furniture surface.



• Do not clean furniture with harsh cleansers or polish.



• To obtain the longest lifespan of your outdoor product minimizing exposure to direct sunlight is recommended.



• Children should not climb or jump on the furniture.



• Do not write on furniture without a padded barrier to protect the surface.



 To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine.
 Whenever possible cover the product and /or place under patio or awnings.



• Stains may be removed with mild soap solution and damp cloth.




• Dust and pick-up spills using a clean, non-colored, lint- free cloth.

1

Please look in the Leg Panel for hardware packs.

# LOVESEAT




Parts List:				
Label	Picture	Description	QTY	
А		Upper Back Slat	4	
В		Middle Back Slat	1	
С		Lower Back Slat	2	
D		Seat Panel	1	
E		Right Leg Panel	1	
F		Left Leg Panel	1	
G		Back Cushion	2	
н		Seat Cushion	1	
I		Support Leg	2	
К		Back Support Bar	1	

### Hardware:

Label	Picture	Description	QTY
1)		Screw (M6*90mm)	10
2		Screw (M6*25mm)	6
3	[mmmmr>	Screw (M6*20mm)	5
4		Allen Wrench	2

## **Assembly Preparation:**

Before Beginning Assembly:





· Read instructions, cover to cover-



Have 2 adults on hand for assembly-




Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-



This Loveseat has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Loveseat parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.




Unpack and place all parts on a clean, non-marring surface.



With the help of your adult partner, place the Seat Panel (D) with its underside skywards onto a clean, soft surface to avoid any scratch or damage to the product.

Attach the Support Leg (I) to the Seat Panel (D) by using Screws (3) and Allen Wrench (4) as shown above.


#### Do not fully tighten the Screws.



With the help of your adult partner, turn the assembled part in Step 2 right side up.


Atach the Left Leg Panel (F) to the Seat Panel (D) and then secure by using Screws (1) and Allen Wrench (4) as shown above.

Do not fully tighten the Screws.



Attach 2 Upper Back Slats (A) to the left side of the Back Support Bar (K) by using Screws (2) and Allen Wrench (4) as shown above.

#### Do not fully tighten the Screws.




With the help of your adult partner,

**Step 5.1,** put the tenon of the Lower Back Slat (C) to the mortise of Back Support Bar (K) in the assembled part in Step 4 and then put the tenons of above frame to the mortises of Left Leg Panel (F) as shown above.

**Step 5.2,** secure the Left Leg Panel (F) to the Upper Back Slat (A) by using Screw (1) and Allen Wrench (4) as shown above.

**Step 5.3**, secure the Back Support Bar (K) to the Seat Panel (D) by using Screws (1) and Allen Wrench (4) as shown above.

Do not fully tighten the Screws.




Attach the Middle Back Slat (B) to the assembled part in Step 5 and then,

**Step 6.1**, Secure the Middle Back Slat (B) to the Back Support Bar (K) by using Screw (2) and Allen Wrench (4) as shown above.

**Step 6.2**, Secure the Middle Back Slat (B) to the Left Leg Panel (F) by using Screw (1) and Allen Wrench (4).


Do not fully tighten the Screws.




With the help of your adult partner, turn the assembled part in Step 6 left side down and put the tenons of the remaining Upper Back Slats (A) and Lower Back Slat (C) to the mortises of the Back Support Bar (K) as shown above.

Then secure the Upper Back Slats (A) to the Back Support Bar (K) by using Screws (2) and Allen Wrench (4) as shown above.

Do not fully tighten the Screws.



With the help of your adult partner, attach the Right Leg Panel (E) to the assembled part in Step 8 and then secure the Right Leg Panel (E) to the Seat Panel (D), Middle Back Slat (B) and Upper Back Slat (A) by using Screws (1) and Allen Wrench (4) as shown above. **Do not fully tighten the Screws.** 



Inspect it and make sure all parts are adequately connected.

With the help of your adult partner, turn the Loveseat right side up.

Gently and gracefully, sit onto the Loveseat.

This will help to align all the parts at all joint areas.

Then get off the Loveseat and in a sequential manner, gradually tighten all Screws at all joints until evenly connected.

If there are still wobbles, loosen the Screws and execute this same process.

Place the Seat Cushion (H) by affix the Magic Tape Straps on the Seat Panel (D) and then place the Back Cushion (G) onto the Seat Cushion (H) as shown above.

Adjust Pre-installed Leveler height for balance as shown above.

WARNING!! IF LOVESEAT IS NOT STABLE, IT COULD LEAD TO DAMAGING THE PRODUCT. Your Loveseat is ready for use.

This Loveseat can only be used on a flat, level surface.