


ASSEMBLY INSTRUCTIONS

ITEM#N719P251497



IMPORTANT NOTE

****Place all parts on a lean and smooth surface such as a rug or carpet to avoid the parts from being scratched.**

****Before you begin, please review the assembly instruction step by step.**













****Return & Warranty Policy:**

-We strive to offer the highest quality products. We also provide positive solutions with replacements or refund if needed.


-If the item is damaged or defective, please take photos to show the problem and email to the seller.

-Please do not return back the product before contact the seller.

PART LISTS BOX 1:N719P251497


Part NO.	Part Image	Part Name	QTY	Part NO.	Part Image	Part Name	QTY
A-R		Right Armrest	1	D		Middle Baffle Board	1
A-L		Left Armrest	1	E		Seat Cushion	3
B-R		Right Back Frame	1	F		Back Cushion	3
B-L		Left Back Frame	1	G		Front Lining	1
C-R		Right Seat Frame	1	H		Armrest Cushion	2
C-L		Left Seat Frame	1	I		Leg	4

Sofa Overall Assembly Drawing




**NOTES: PART "D" & PART "H" is inside the 2 Armrests PART "A-R" "A-L".
Please take them out when you assemble the sofa. Thank you.**

Step 1




Please put PART “D” on the ground and lift the seat frame to inset into PART ”D”.

Step 2



Please lift the seat frame “C-R” to inset into PART ”D”.


Step 3




Remove the Velcro from Fabric “G” and attach to the seat frame “C-R” ,”C-L”.

Step 4

I x4




Step 5




Please put armrests on the ground and lift the seat frame to inset into armrests.

Step 6




Step 7




**Attach the velcro on the 2 sides of the back
and connect 2 back frame by zippering up the center of the back.**


Step 8



Step 9



Step 10



**The product has compression parts,
Please pat them by hand and wait 72 hours, the cushions will be recover.**