


ASSEMBLY INSTRUCTIONS

30INCH BATH VANITY (COMBO)





Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts which may have come loose inside the carton during shipment. Separate, identify and count all parts and hardware.


Compare with the parts list to be sure all parts are present.

"DO NOT TIGHTEN SCREWS UNTIL COMPLETELY ASSEMBLED"


*** Use of power tool to assemble this product will invalidate any claim and damage this product making unsafe !!!**
*** Please assemble on a clean soft surface to avoid damage.**



Tools Required



(Not included)



(Not included)

IMPORTANT:

PLEASE READ INSTRUCTION BEFORE STARTING THE ASSEMBLY

PLEASE DO NOT RETURN TO STORE



**Please do not return this product to the retailer!!
We are able to assist you in ANY way**

If you find that you have any trouble with assembly or missing or damaged parts please contact the seller.


Before Installation

Important – Please read these instructions fully before starting assembly

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment. Identify and count all items according to the PARTS LIST and/or HARDWARE LIST shown below. Check you have all the components and tools listed on the following pages.

- We recommend that you assemble this product with the assistance of another person; this will make the assembly easier, and will help eliminate damage to the product or injury to persons during assembly.
- Please do not over tighten screws or bolts until the assembly is completed.
- Keep children and animal away from the work area, small parts could choke if swallowed.
- Please put all parts on a non-abrasive floor before assembly, and follow the assembly steps to assemble your newly purchased product correctly and efficiently.



Cam Lock Assembly Instructions

	Diagram A Insert Cam Bolt into hole as shown in diagram A.
	Diagram B Make sure not to insert the Cam Bolt: Too deep as shown in figure B as this will cause the Cam Lock to be misaligned and unable to interlock properly.
	Diagram C Also avoid inserting the Cam Bolt too close to the surface of the hole as shown in figure C, as this will cause the Cam Lock to be too loose, and not interlock properly.
	Connect the panels together.
	Insert the Cam Lock so the side opening fits over the head of the Cam Bolt.
	To tighten the Cam Lock, turn it clockwise on half a turn with a flat screwdriver. <i>*Do not use an automatic screwdriver as it may bend or break if too much power is imposed.</i>

Before installing the slide, separate the cabinet member and the drawer member.


**Pay attention when connecting !
The sliding module must be at the front end.**

STEP 1 : Extend Slide




STEP 2: Push Lever UP

**Push lever for the left of drawer ,
press the lever for the right of drawer.**















STEP 3: Remove Runner

Detail View - CABINET
















Identifying the Hardware-Identify the hardware using the illustrations below.









Part List - N710P191947

1		2	
	Side Panel (L) - 1pc		Side Panel (R) - 1pc
3		4	
	Mid Panel - 1pc		Top Bar Front - 1pc
5		6	
	Top Rear Panel - 1pc		Bottom Rear Panel - 1pc
7		8	
	Bottom Frame - 1pc		Bottom Bar Front - 1pc
9		10	
	Cabinet Door (L) - 1pc		Cabinet Door (R) - 1pc
11		12	
	Top Drawer Face - 1pc		Top Drawer Back Panel - 1pc
13		14	
	Top Drawer Side Panel (L) - 1pc		Top Drawer Side Panel (R) - 1pc


Part List - N710P191947

15		16	
	Drawer divider (A) - 1pc		Drawer divider (B) - 1pc
17		18	
	Drawer divider (C) - 1pc		Bottom Drawer Panel - 3pcs
19		20	
	Mid Drawer Face - 1pc		Mid Drawer Back Panel - 1pc
21		22	
	Mid Drawer Side Panel (L) - 1pc		Mid Drawer Side Panel (R) - 1pc
23		24	
	Bottom Drawer Face - 1pc		Bottom Drawer Back Panel - 1pc
25		26	
	Bottom Drawer Side Panel (L) - 1pc		Bottom Drawer Side Panel (R) - 1pc
27			
	Sink - 1pc		


Hardware List - N710P191947

A  ø13x1/4"x28mm Hex-Head bolts (4pcs)	B  ø1/4"x16x1mm Washer (4pcs)	C  ø6x35mm Three in one bolts (17pcs)
D  ø14.5x12mm Three in one lock (17pcs)	E  ø8xø4x25mm Round head screw (2pcs)	F  ø8xø4x32mm Round head screw (24pcs)
G  Handle (6pcs)	H  ø5/32"x20mm Handle screw (4pcs)	I  ø5/32"x25mm Handle screw (8pcs)
J  Damping hinge (4pcs)	K  ø7xø3.5x15mm Flat head screw (24pcs)	L  L-Bracket (1pc)
M  ø7xø3.5x12mm Round head screw (2pcs)	N  ø300x35mm Slide rails (6pcs)	O  ø298x18mm Slide rails (6pcs)
P  ø6xø3x12mm Flat head screw (36pcs)	Q  ø8x30mm Wood dowel (21pcs)	R  4mm Allen key (1pc)
S  Anti fall hardware (1set)	T  ø6x30mm Wood dowel (16pcs)	


STEP: 1



STEP: 2





POSITION OF SCREW





STEP: 3

D		Q	
2PCS		2PCS	





STEP: 4

L		M		Q	
1PC		2PCS		1PC	




STEP: 5



E	D	Q
		
2PCS	3PCS	2PCS

STEP: 6






Q


16PCS

STEP: 7

A	B	D
		
4PCS	4PCS	12PCS






STEP: 8



J	K
	
4PCS	8PCS



STEP: 9



G	H	K
		
2PCS	4PCS	16PCS



Use the screws to adjust up or down

Use the screws to permanent






Use the screws to adjust left or right

Use the screws to adjust in or out










POSITION OF SCREW

A diagram of a horizontal beam with three springs hanging from it. The springs are labeled 1, 2, and 1 from left to right. The beam is supported by a central pivot point, and the springs are attached to the beam at points equidistant from the center. The beam is shown in a horizontal position, and the springs are shown in a vertical position.




STEP: 11











F 	G 	I 	O 	P 
8PCS	1PC	2PCS	2PCS	6PCS
				T 
				4PCS




POSITION OF SCREW




STEP: 12




STEP: 13



STEP: 14




Wall




STEP: 15

**Install the sink on the cabinet with glue.
Let stand for 24 hours**




***Silicone glue is not included in the package to comply with safety regulations in certain shipping conditions.**

STEP: 16



HINGE ADJUSTMENTS




① Sideways / Tilt adjustment

Turn the screw

clockwise to move the door further away from the side of the cabinet

anticlockwise to move the door closer to the side of the cabinet




② ④ Height adjustment

While supporting the weight of the door, turn the screws

clockwise to move the door up

anticlockwise to move the door down



③ Forward and back adjustment

If the gap between the back of the door and the cabinet is too small, and the door may not close fully. Turn the screw

clockwise to decrease the gap between the door and the cabinet

anticlockwise to increase the gap between the door and the cabinet

