











Assembly Instructions

Caution: You must read this before you proceed.

Care & Maintenance


- ⊘  • Not for commercial use. For residential use only.
- ✓  • Furniture may scratch floors. We recommend using furniture pads to protect your floors.
- ⊘  • Do not put hot items directly on furniture surface.
- ⊘  • Do not clean furniture with harsh cleansers or polish.
- ⊘  • Do not place furniture under direct sunlight.
- ⊘  • Do not place furniture near heating or cooling vents.
- ⊘  • Do not write on furniture without a padded barrier to protect the surface.
- ⊘  • Do not place furniture outside . For indoor use only.
- ⊘  • Stains may be removed with mild soap solution and damp cloth.
- ⊘  • Children should not climb or jump on the furniture.





- Dust and pick-up spills using a clean, non-colored, lint-free cloth.















Please look in Chair Seat for hardware packs and legs.

COUNTER STOOL



















Parts List

Label	Picture	Description	QTY
A		Back	1
B		Seat	1

C		Bottom Frame	1
D		Right Leg	1
E		Left Leg	1
F		Front And Rear Wooden Frames	2
G		Iron Sheet	2
<u>Hardware</u>			
Label	Picture	Description	QTY
①		Bolt (M6*25mm)	7
②		Bolt (M8*35mm)	9
③		Bolt (M6*60mm)	5
④		Bolt (M6*40mm)	5
⑤		Spring Cushion	9
⑥		Plain Cushion	9
⑦	 M6	Allen Washer	1
⑧	 M8	Allen Washer	1
⑨		Wood Cutting	3

Assembly Preparation

Before Beginnin Assembly:						
	A	D	E	①x7	④x5	⑦x1
						
	B	Fx2		②x9	⑤x9	⑧x1
			Gx2			
	C			③x5	⑥x9	⑨x3



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-

Assembly Steps


Overview




This COUNTER STOOL has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the COUNTER STOOL parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1


1.1



1.2






1.3



Step 1.1) Place the iron plate (G) in the groove position on the handrails (D) and (E), and lock it with screw ① and wrench ⑦.

Step 1.2) Insert the positioning wooden pin ⑨ into the holes on both sides of the wooden frame (C), then align the positioning wooden nail ⑨ with the inner holes of the handrails (D) and (E), insert and fix it. Use screws ② spring washers ⑤ flat washers ⑥ and wrench ⑧ to tighten to 80%.

Step 1.3) Use screw ④ and wrench ⑦ to lock the front and rear crossbars (F) with the armrest feet (D) (E), and finally tighten all screws to 100%.

<p><u>Step 2</u></p>	<p>2.1</p> 
	<p>2.2</p> 
	<p>2.3</p> 


Step 2.1) Lock the removal feet and seat cushion, fix them with screw ③ and wrench ⑦, and lock them to 100%.

Step 2.2) Lock the backrest (A) with screw ① and wrench ⑦ to 100%.

Step 2.3) Place the bar chair on a flat surface with four legs. If one leg is uneven, twist and adjust the foot nail.

WARNING !! LOOSELY TIGHTEN. OVER TIGHTENING COULD LEAD TO DAMAGE OF THE PRODUCT. TIGHTEN ONLY UNTIL SECURE.

Step 3



Place the Bar/Counter Stool on a Level Surface to check if it wobbles. If it wobbles, lift the Bar/Counter Stool some 30cm to 50cm high from the ground, keep your feet and toes well away from the drop zone, and drop the Bar/Counter Stool freely and vertically with the four legs, hitting the ground at the same time. This Drop Test will help to ensure that all the bolts and gaps to all reach full alignment.

Test again for evenness on Level Surface.

If no wobbles are found, proceed to tighten all the Bolts.

Caution: When tightening the Bolts, tighten sequentially.

Do not tighten any screw fully and then towards the next one, this would cause the frame to warp. If it still wobbles, loosen the bolts and execute this same drop test. If the Bar/Counter Stool is not Stable it could lead to damage to the product.