
## **Assembly Instructions**

## Caution: You must read this before you proceed

Care	∝ iviaiii	<u>tenance</u>




Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in the magic tape pouch for hardware packs and legs.


Sets often ship in multiple boxes and may arrive a day or two apart.

16



Part List					
Label	Picture	Description	QTY		
А		Loveseat Backrest	1		
В		Chaise Backrest	1		
С	:	Left Armrest	1		
D		Right Armrest	1		
Е		Loveseat Seat Frame	1		
F		Chaise Seat Frame	1		
G		Front Seat Frame	1		
н		Chaise Seat Cushion	1		
I		Loveseat Seat Cushion	1		
J		Chaise Back Cushion	1		
К		Loveseat Back Cushion	2		
L		Pillow	2		
М		Cap Ned	2		
N		Power Cord	1		
0	<u></u>	Leg	12		
Р	9	Cup Saucer	2		

HARDWARE LIST N760P266637						
Label	Picture	Description	QTY			
1)	•	Bolt (M6*50MM)	25			
2	•	Bolt (M6*40MM)	21			
3	•	Bolt (M6*20MM)	9			
4	0	Washer	33			
(5)	O	Spring Washer	29			
6	•	Nut (M6)	5			
7	N.	Spanner	1			
8		Allen Wrench(S4)	1			
PARTS LIST N760P266637						
Label	Picture	Description	QTY			
С		Left Armrest	1			
D		Right Armrest	1			
F		Chaise Seat Frame	1			
J		Chaise Back Cushion	1			
К		Loveseat Back Cushion	2			
М		Cap Ned	2			
N	FC.	Power Cord	1			
О	<u> </u>	Leg	12			
Р	8	Cup Saucer	2			
PARTS LIST N760P266638						
А		Loveseat Backrest	1			
E		Loveseat Seat Frame	1			





Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-

## **Assembly Steps**




This Sofa has multiple parts and may require up to 60 minutes to assemble. To give you an overview of the Sofa parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.


Note: It is recommended that you have an adult partner to assist during the entire assembly process.




Attach Chaise Seat Frame(F) to the Chaise Backrest(B),attach the Loveseat Seat Frame(E) to the Loveseat Backrest(A) using Bolts(②), Spring Washers(⑤), Washers(④) with Allen Wrench(⑥), turning clockwise in a sequential manner.




Attach Chaise Seat Frame(F) to Loveseat Seat Frame(E) using Bolts(2), Spring Washers(5),Washers(4),Nut(6), Washer(4) with Allen Wrench(8) and Spanner (7),turning clockwise until tight.




Attach the Cap Ned(M) to the Left Armrest(C) and Right Armrest(D) using Bolts(③), Spring Washers(⑤), Washers(④) with Allen Wrench(⑧) ,turning clockwise until tight.



Attach the Left Armrest(C) to the Chaise Seat Frame(F), attch the Right Armrest(D) to the Loveseat Seat Frame(E) using Bolts(②), Spring Washers(⑤),Washers(④) with Allen Wrench(⑧) ,turning clockwise in a sequential manner.




Install the Leg(O) to the bottom of Left Armrest(C) ,Chaise Seat Frame(F),Right Armrest(D) and the bottom of Loveseat Seat Frame(E) using Bolts(①) with Allen Wrench(⑧),turning clockwise until tight.




Install the Leg(O) to the bottom of Front Seat Frame(G) using Bolts(①) with Allen Wrench(⑧),turning clockwise until tight.


Repeat the same step to install the remaining three Legs(O).




Put the Cup Saucer (P) in Left Armrest(C) and Right Armrest(D) as picture showned.




Cut the package of the Chaise Seat Cushion(H) and Loveseat Seat Cushion(I) ,take out the Chaise Seat Cushion and Loveseat Seat Cushion.They may takes up to 72 hours for them to fully fluff up.



Put the Chaise Seat Cushion(H) and Loveseat Seat Cushion(I) on the sofa as picture showned.



Put the 1 pc Chaise Back Cushion (J) and 2 pcs Loveseat Back Cushion (K) on the sofa as picture showned.



Put the 2 pcs Pillow (L) on the sofa as picture showned.

