
ASSEMBLY INSTRUCTION ITEM:N715P264916 SIDEBOARD




Please read these instructions fully before starting assembly:

Tools required: Phillips screwdriver(medium & large)

- 1. Check you have all the components and tools listed on the following pages.
- 2. Remove all fittings from the plastic bags and separate them into their groups.
- 3.Keep children and animals away from the work area, small parts could choke if swallowed.
- 4. Make sure you have enough space to layout the parts before starting.
- 5. During assembly do not stand or put weight on the product, this could cause damage.
- 6. Assemble the item as close to its final position (in the same room) as possible.
- 7. Assemble on a soft level surface to avoid damaging the unit or your floor.
- 8. Parts of the assembly will be easier with 2 people.
- 9.To reduce the likelihood of damaging your product please ensure that your power drill is set on a low torque setting.
- 10. Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts.
- 11. Regularly check and ensure That all bolts and fittings are tightend properly.
- 12. Please do not place items that exceed the load capacity.

Care and maintenance


Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.



Part List ITEM:N715P264916

Please check you have all the panels listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.





Hardware list ITEM:N715P264916


Please check you have all the panels listed below


Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.


A	В	G	D
			<u> </u>
Male Camlock x 6	Female Camlock x 6	Dowel x 12	5*45mm Screw x 6
		G	H
E x 1	Plasticwedge x 8	3*14mm Screw x 8	Shelf Support Pin x 8
	K	S	™
Cover x 4	Door Hinge x 4	Door Hinge x 4	4*14mm Screw x 48
	P1 P2 P3	P4 P5	Q
Door stoper x 4	Wall Fixing Pack x 2		6*30mm Screw x 8


















Assembly Steps(EN) / Montageschritte(DE)

HOW TO ADJUST THE HINGES TO ALIGN THE DOORS IF NEEDED.


STEP 1

Open the door.




STEP 2

Adjust the door panelsupward or downward



Unscrew 2 screws in round holes loosen 2 screws in oval holes a bit.



Tighten 2 screws in oval holes. Screw in 2 screws in round holes

STEP 3

Adjust the flush between door panel and side panel




MOVE DOOR OUTWARD POSITION by turning this screw counter-clockwise



MOVE DOOR OUTWARD by turning this screw clockwise

STEP 4

Adjust the Gap beteen door panel and side panel



Loosen this screw a bit. MOVE DOOR BACK OR FORTH



Re-tighten this screw.