## **Assembly Instructions**

Caution: You must read this before you proceed

#### Care & Maintenance



• Not for commercial use. For residential use only.



• Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



 To obtain the longest lifespan of your outdoor product minimizing exposure to direct sunlight is recommended.



Children should not climb or jump on the furniture.



• Do not write on furniture without a padded barrier to protect the surface.



 To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine.
Whenever possible cover the product and /or place under patio or awnings.



• Stains may be removed with mild soap solution and damp cloth.




Dust and pick-up spills using a clean, non-colored, lint- free cloth.

1

Please look in the Seat Panel for hardware packs.

# 3 SEATERS



Parts List:					
Label	Picture	Description	QTY		
Α		Right Leg Panel	1		
В		Left Leg Panel	1		
С		Upper Back Slat	4		
D		Back Support Bar	2		


E	Front Support Bar	2
F	Middle Leg Panel	1
G	Middle Leg	2
Н	Left Seat Panel	1
I	Right Seat Panel	1

J	Front Middle Leg	1
К	Support Leg	2
L	Back Cushion	3
М	Left Seat Cushion	1
N	Right Seat Cushion	1
Ο	Middle Seat Cushion	1

## Hardware: **Description Picture** No **QTY** Screw (1) 7 (M6\*80mm) Screw 2 16 (M6\*45mm) Screw 3 5 (M6\*20mm) **Bolt** 4 5 (M6\*40mm) (5) Allen Wrench 2

### **Assembly Preparation:**

Before Beginning Assembly:





Read instructions, cover to cover-



Have 2 adults on hand for assembly-




Do not assemble on flooring or carpet-




• Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-




This 3 Seaters has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the 3 Seaters parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.



Unpack and place all parts on a clean, non-marring surface.




With the help of your adult partner, put the tenons of the Back Slat (C) and Back Support Bar (D) to the mortises of Left Leg Panel (B) and then secure by using Screws (1) and Allen Wrench (5) as shown above.




With the help of your adult partner, attach the Back Slat (C) to the Left Leg Panel (B) of the assembled part in Step 2 as shown above.

Put the mortises of Mildde Leg (G) to the tenons of 2 Back Slats (C) and Back Support Bar (D) of the above assembled part and then secure by using Screws (②) and Allen Wrench (⑤) as shown above.

Do not fully tighten the Screws.




With the help of your adult partner, put the tenons of the Back Slat (C) and Back Support Bar (D) to the mortises of Right Leg Panel (A) and then secure by using Screws ( $\mathfrak{D}$ ) and Allen Wrench ( $\mathfrak{D}$ ) as shown above.



With the help of your adult partner, attach the Back Slat (C) to the Right Leg Panel (A) of the assembled part in Step 4 as shown above.

Put the mortises of Mildde Leg (G) to the tenons of 2 Back Slats (C) and Back Support Bar (D) of the above assembled part and then secure by using Screws (②) and Allen Wrench (⑤) as shown above.


Do not fully tighten the Screws.



With the help of your adult partner, attach the assembled parts in Step 3, Step 5 and Middle Leg Panel (F) together as shown above.


Secure the Middle Leg Panel (F) to the Middle Legs (G) by using Bolts (4) and Allen Wrench (5) as shown above.

Do not fully tighten the Bolts.



With the help of your adult partner, attach the Front Middle Leg (J) to the assembled part in Step 6 and then secure the Front Middle Leg (J) to the Middle Leg Panel (F) by using Screws (②) and Allen Wrench (⑤) as shown above.


Do not fully tighten the Screws.



With the help of your adult partner, attach the Front Support Bars (E) to the assembled part in Step 7 as shown above and then,


**Step 8.1,** secure the Front Support Bars (E) to the Front Middle Leg (J) by using Screws (2) and Allen Wrench (5).

**Step 8.2,** secure the Front Support Bars (E) to the Leg Panels (A, B) by using Screws (1) and Allen Wrench (5).



With the help of your adult partner, place the Left Seat Panel (H) facing down, then attach the Support Leg (K) to the Left Seat Panel (H) and secure by using Screws (③) and Allen Wrench (⑤).

Repeat the same process with the remaining Support Leg (K) and Right Seat Panel (I). **Do not fully tighten the Screws.** 



With the help of your adult partner, place the assembled parts in Step 9 to the assembled part in Step 8 and then secure by using Screws (2) and Allen Wrench (5) as shown above.



Inspect it and make sure all parts are adequately connected.

Turn the 3 Seaters right side up.

Gently and gracefully, sit onto the 3 Seaters.

This will help to align all the parts at all joint areas.

Then get off the 3 Seaters and in a sequential manner, gradually tighten all Bolts and Screws at all joints until evenly connected.

If there are still wobbles, loosen the Bolts, Screws and execute this same process.

Adjust Pre-installed Leveler height for balance as shown above.

Place the Seat Cushions (M, O, N) by affix the Magic Tape Straps on the Seat Panel (H, I) and then place the Back Cushions (L) onto the Seat Cushions (M, O, N) as shown above.

WARNING!! IF 3 SEATERS IS NOT STABLE, IT COULD LEAD TO DAMAGING THE PRODUCT.

Your 3 Seaters is ready for use.

This 3 Seaters can only be used on a flat, level surface.