




NOAH

NOAH STOOL

MAVENLANE.COM
 @mavenlanehome



NOAH STOOL



ABOUT US

As unique individuals, we all have our own ways of expressing ourselves. Through expression, we open doors to new opportunities and communicate to the world.

At Maven Lane, we understand the profound impact that home design can have on personal expression. Our homes serve as our nests, reflecting our individual styles, personalities, and values. They are the spaces where we create meaningful memories and moments of comfort and peace.



With this in mind, we set out to bring the finest in design, materials, and customer service directly to our customers, all at an attainable price point. Whether you're seeking to elevate your mornings with a cozy sanctuary or host laughter-filled dinners with loved ones, we are dedicated to helping you create a space that truly reflects who you are and what you aspire to be.

MAVENLANE.COM

 @mavenlanehome




ASSEMBLY INSTRUCTIONS



The use of power tools to assemble this product could lead to damage, making it unsafe

Please assemble on a clean, level surface to avoid damage and ensure proper assembly

Tools Required




Allen Key
(included)



(unincluded)

PARTS LIST



Bolt
G  Qty 7
 Ø1/4"x45mm

Bolt
H  Qty 2
 Ø1/4"x80mm

Lock Washer
I  Qty 9
 Ø1/4"

Flat Washer
J  Qty 9
 Ø1/4"x13mm

Pan Head Screw
K  Qty 6
 #4x45mm

Allen key
L  Qty 1
 M4

Felt Pads
M  Qty 1


Scan for additional
information



ASSEMBLY

STEP 1


Attach seat chair (B) to back chair (A) with bolts (G) & (H), lock washers (I), flat washers (J) using allen key (L).



STEP 2

Attach legs (C&D) to seat chair (B) with bolts (G), lock washers (I), flat washers (J) using allen key (L). At the same time, attach stretcher (E) to legs (C & D), 2 stretchers (F) to legs (C & D) and back chair (A) with screws (K).


Do not fully tighten yet.



ASSEMBLY

STEP 3

Face the chair on the flat surface then tighten all bolts and screws.



STEP 4: Felt Pad Application (optional)

1. Wipe any dust from the surface for best adhesion
2. Gently peel the felt pad from the paper
3. Firmly apply a felt pad to each of the feet

