Assembly Instructions

CAUTION: You must read this before you proceed.

Care & Maintenance








- To obtain the longest lifespan of your outdoor products, minimizing exposure to direct sunlight is recommended.
- Children should not climb or jump on the furniture.
- Do not write on furniture without a padded barrier to protect the surface.
- To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine.
 Whenever possible cover the product and /or place under patio or awnings.
- Stains may be removed with mild soap solution and damp cloth.
 - ✓ Dust and pick-up spills using a clean, non-colored, lint- free cloth.

Pleae look in Seat Panel for hardware packs.

ARMCHAIR



CAUTION: This Chair is NOT a TOY.

Keep your child / children at bay in the process of assembly.


For turning the Chair and to prevent damage to the Chair, 02 persons may be needed to execute this action

Part List				
Label	Picture	Description	Qty	
А		Left Leg Panel	1	
В		Right Leg Panel	1	
С		Seat Panel	1	
D		Backrest Panel	1	
E		Seat Cushion	1	
F		Back Cushion	1	

<u>Hardware</u>				
Label	Picture	Description	Qty	
1)		Allen Wrench	1	
2	D mmmmm»	Screw (M6*60mm)	3	
3	@ mmmmmm»-	Screw (M6*90mm)	3	
4		Bolt (M6*35mm)	5	

Assembly Preparation

Before Beginning Assembly:





• Read instruction, cover to cover-



• Have 2 adults on hand for assembly-



• Do not assembly on flooring or carpet-




△ ◆ Assemble on a clena non- marring surface (packing foam)-




▶ • Save all packaging until finished-

Assembly Steps




This Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chair, the above picture is to help you put the various parts into perspective. Please read through the instructions here below to familiarise the parts and steps before assembly.

Step 1




Unpack and place all parts on a clean, non-marring surface.



Place Seat Panel (C) as above picture. Attach Left Leg Panel (A) to Seat Panel (C) by using 2 Screws (2) +(3) with Allen Wrench to secure.


Do not fully tighten the Screws.

Step 3




Flip the Chair to the side as shown. Attach Right Leg Panel (B) to Seat Panel (C) by using 2 Screws (2)+(3) with Allen Wrench (1) to secure.

Do not fully tighten the Screws.



Attach Backrest Panel (D) to Left Leg Panel (A) and Right Leg Panel (B) by using 4 Bolts (4) with Allen Wrench to secure.

Do not fully tighten the Bolts.



Inspect it and make sure all parts are adequately connected.


Gently and gracefully, sit onto the Bench.

This will help to align all the parts at all joint areas.

Then get off the Bench and proceed to tighten the Bolts and Screws in a sequential manner.

When tightening the Bolts, Screws tighten sequentially.

DO NOT tighten any Bolts, Screws fully and then move on towards the next one. If there are still wobbles, loosen the Bolts, Screws and execute this same process.



Place Seat Cushion (E) and Back Cushion (F) onto the Chair.

Tie the velcro straps of Seat Cushion (F) to the support slats of Seat Panel (D) as shown above.

Your Chair is ready to use.

This Chair can only be used on a flat, level surface.