W00174

BED ASSEMBLY INSTRUCTIONS



SAFETY WARNINGS AND GENERAL NOTES:

- 1. Follow the information on the warnings on the bunk bed end structure and on the carton. Do not remove the warning label from the bed.
- 2. Always use the recommended size mattress on mattress support, or both, to help prevent the likelihood of entrapment or falls.
- 3. Do not allow children under 6 years of age to use the upper bunk.
- 4. Periodically check and ensure the guardrail, ladder and other components are in their proper position, free from damage, and all connectors are tight.
- 5. Do not allow horseplay on or under beds.
- 6. Always prohibit jumping on the bed.
- 7. Prohibit more than one person on upper bunk.
- 8. Always use the ladder for entering and leaving the upper bunk.
- 9. Do not use substitute parts. Contact the manufacturer or dealer for replacement parts.
- 10. Use of a night-tight may provide added safety precaution for a child using the upper bunk.
- 11. Always use guardrails on both long sides of the upper bunk.
- 12. If the bunk bed will be placed next to a wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall, The use of water or sleep flotation mattresses is
- 13. STRANGULATION HAZARD-Never attach or hang items to any part of the bunk bed that are not designed for use with the bed; for example, but not limited to, hooks, belts and jump ropes.
- 14. Keep these instructions for future reference.
- 15. We recommend assembling your bunk bed on the shipping carton to protect your floor or carpet.
- 16. Be certain all staples are out of the box before beginning assembly on the shipping carton.
- 17. USE ONLY MATTRESSES WHICH ARE AS THE TABLE BELOW ON UPPER AND ON LOWER BUNKS.


Down bed

prohibited.


Mattress type	Length	Width	Thickness
FULL Standard	74"-75"	53" -54"	8"
Up bed (bunk bed and t	ribed included)		
Mattress type	Length	Width	Thickness
FULL Standard	74"-75"	53" -54"	6"Max
Movable bed support	Length	Width	Thickness
Standard	72"-73"	37" -38"	4"M ax

- 18. SURFACE OF MATTRESS MUST BE AT LEAST 5"(127MM) BELOW THE UPPER EDGE OF GUARDRAILS.
- 19. Replacement Parts:

Replacement Parts, including additional guardrails, may be obtained from any of our (Shenzhen Yuefeng Zhiqi Technology Co., Ltd) dealers.




Part List





Part List


C	D	E	F	Y	L2
8*35	8*55	6*25	8*15	6*10	
25PCS	33PCS	38PCS	11PCS	16PCS	
K 100PCS	with brake 2 PCS	without brake 2 PCS	T-4PCS	U-2PCS	L1

Page 4











Completed





Please tighten all screws before use, thank you.



Ťip̃s: If you feel that the bed is a little wobbly then please use the parts "U" and "T"for reinforcement